


7 SEP 2023

AD ELEV 316
35 33 34S 144 56 47E

AERODROME CHART
DENILQUIN, NSW (YDLQ)

AWIS 133.2	FIA ML CEN 118.6	CTAF 119.0		Bearings are Magnetic Elevations in FEET AMSL
---------------	---------------------	---------------	--	--------------------------------------------------



AERODROME LIGHTING	
RWY	TAXIWAY : BLUE EDGE RL : MAN
06 <small>055</small>	LIRL (HN)
<small>235</small> 24	LIRL (HN)
12 <small>130</small>	NIL
<small>310</small> 30	NIL

NOTES

1. AWIS REQUIRES 1 SEC PULSE TO ACTIVATE.
2. FIA FREQ 118.6 AVBL 4,500FT.

Changes: NOTES.


DLQAD01-176

USE QNH


RNP RWY 06

DENILQUIN, NSW (YDLQ)


15 JUN 2023



RNP APCH
LNAV/VNAV RQMNTS:
• YDLQ QNH RQ
• YDLQ TEMP RQ
• PROC TEMP RANGE
-5°C TO +60°C




TR	IN	TURN	TIME	MIN ALT	DME LMT
055°	Left	1	2100		



AD ELEV 316
Bearings are Magnetic
Elevations in FEET AMSL

NM TO NEXT WPT	0.2	DLQWF	4	3	2	1.1	0.5	DLQWM
ALT (3° APCH PATH)	2100	2040	1730	1410	1090	800	600	



MISSED APPROACH:
TRACK DCT TO DLQWH,
TURN LEFT,
TRACK 250°,
CLIMB TO 1900FT.

CATEGORY	A	B	C	D
LNAV/VNAV	600 (286-1.6)			NOT APPLICABLE
LNAV	800 (484-2.7)			
CIRCLING *	910 (594-2.4)		1060 (744-4.0)	
ALTERNATE	(1094-4.4)		(1244-6.0)	

- NOTES**
- MAX IAS:
INITIAL : 210KT.
 - NO CIRCLING S OF
RWY 06 & RWY 30
BEYOND 3NM.



Changes: CHART TITLE, PBN SPECIFICATION BOX, Editorial.

DLQGN01-175

USE QNH

RNP RWY 24
DENILQUIN, NSW (YDLQ)

15 JUN 2023



NOTES

CATEGORY	A	B	C	D
LNAV/VNAV	600 (291-1.6)			NOT APPLICABLE
LNAV	800 (484-2.7)			
CIRCLING *	910 (594-2.4)		1060 (744-4.0)	
ALTERNATE	(1094-4.4)		(1244-6.0)	

1. MAX IAS: INITIAL : 210KT.
*2. NO CIRCLING S OF RWY 06 & RWY 30 BEYOND 3NM.

Changes: CHART TITLE, PBN SPECIFICATION BOX, Editorial.

DLQGN02-175