


15 JUN 2023

AD ELEV 33
41 10 11S 146 25 49E

**AERODROME CHART
DEVONPORT, TAS (YDPO)**



	AERODROME LIGHTING
RWY	ABN : ALTN W/G 8 SEC TAXIWAY : BLUE EDGE RL : AFRU+PAL 122.3 , SDBY (20 SEC)
06 <small>062</small>	PAPI 3.0° 28FT LIRL
<small>242</small> 24	PAPI 3.0° 28FT LIRL
14 <small>142</small>	NIL
<small>322</small> 32	NIL

NOTES

1. AWIS RQ 1 SEC TRANSMIT PULSE TO ACTIVATE.

Changes: NOTES.



DPOAD01-175

USE QNH

RNP RWY 24

DEVONPORT, TAS (YDPO)

15 JUN 2023



NOTES

CATEGORY	A	B	C	D
LNAV/VNAV	630 (608-3.5)			
LNAV	800 (778-4.4)			
CIRCLING *	990 (957-2.4)	1090 (1057-4.0)	1390 (1357-5.0)	
ALTERNATE	(1457-4.4)		(1557-6.0) (1857-7.0)	

1. MAX IAS:
HOLDING : 210KT.
INITIAL : 210KT.
- * 2. NO CIRCLING S OF RWY 06/24.

Changes: CHART TITLE, PBN SPECIFICATION BOX, Editorial.



DPOGN01-175

USE QNH


RNP RWY 06

DEVONPORT, TAS (YDPO)

15 JUN 2023




TR	IN	TURN	TIME	MIN ALT	DME LMT
062°	Left	1	4200		



AD ELEV 33
Bearings are Magnetic Elevations in FEET AMSL

NM TO NEXT WPT	8.3	3	1	DPOWI	4	3	2	1	DPOWF	4	3	1.9	RW06
ALT (3° APCH PATH)	5900	4200	3570	3250	2930	2610	2300	1980	1660	1340	1020	680	



NOTES

- 1. MAX IAS:
INITIAL : 210KT.
HOLD : 210KT.
- * 2. NO CIRCLING S OF RWY 06/24.

CATEGORY	A	B	C	D
LNAV	680 (663-3.8)			
CIRCLING *	990 (957-2.4)	1090 (1057-4.0)	1390 (1357-5.0)	
ALTERNATE	(1457-4.4)	(1557-6.0)	(1857-7.0)	

Changes: CHART TITLE, PBN SPECIFICATION BOX, Editorial.

DPOGN02-175