


21 MAR 2024

AD ELEV 60
25 19 08S 152 52 49E

AERODROME CHART
HERVEY BAY, QLD (YHBA)

AWIS 134.9	FIA BN CEN 124.6	CTAF+AFRU 126.55	PAL 122.8	Bearings are Magnetic Elevations in FEET AMSL
----------------------	----------------------------	----------------------------	---------------------	--



AERODROME LIGHTING	
RWY	TAXIWAY : BLUE EDGE RL : PAL122.8 , SDBY (15 SEC)
11 <small>108</small>	PAPI 3.0° 53FT LIRL
<small>288</small> 29	PAPI 3.0° 53FT LIRL

NOTES

- FIA FREQ 124.6 AVBL 500FT.
- PAL REQUIRES THREE ONE-SEC PULSES TO ACTIVATE.

Changes: Editorial.


HBAAD01-178

USE QNH


RNP RWY 11

28 NOV 2024

HERVEY BAY, QLD (YHBA)



NM TO NEXT WPT	4.1	4	3	2	1	HV2WF	4	3	1.9	1.2	RW11		
ALT (3° APCH PATH)	3000	2970	2650	2330	2020	1700	1380	1060	710	480			



NOTES

- MAX IAS: INITIAL : 210KT.

CATEGORY	A	B	C	D
LNAV/VNAV		480 (425-2.4)		NOT APPLICABLE
LNAV		710 (650-3.7)		
CIRCLING	800 (740-2.4)		900 (840-4.0)	
ALTERNATE	(1240-4.4)		(1340-6.0)	

Changes: DELETED 438FT OBST, DELETED NOTE 2, WPT NAMING CONVENTION.


HBAGN01-181

USE QNH


RNP RWY 29

28 NOV 2024

HERVEY BAY, QLD (YHBA)



NM TO NEXT WPT	RW29	0.8	1.3	2	3	4	HV2EF	1				
ALT (3° APCH PATH)		340	530	740	1060	1370	1780	2100				



NOTES

1. MAX IAS:
INITIAL : 210KT.

CATEGORY	A	B	C	D	
LNAV/VNAV	340 (289-1.6)			NOT APPLICABLE	
LNAV	530 (479-2.7)				
CIRCLING	800 (740-4.4)		900 (840-4.0)		
ALTERNATE	(1240-4.4)		(1340-6.0)		

Changes: DELETED NOTE 2, WPT NAMING CONVENTION.

HBAGN02-181