


13 JUN 2024

AD ELEV 1530
28 36 49S 122 25 26E

AERODROME CHART
LAVERTON, WA (YLTN)



	AERODROME LIGHTING
RWY	TWY : BLUE EDGE ON TWY A RL : PAL 121.3 , MAN SDBY PWR, 60MIN PRIOR NOTICE REQUIRED.
07 <small>068</small>	PAPI 3.0° 50FT LIRL
<small>248</small> 25	PAPI 3.0° 48FT LIRL
16 <small>156</small>	NIL
<small>336</small> 34	NIL

NOTES

1. AFRU NOT AVBL ON GROUND.
2. FIA FREQ 118.4 AVBL 3,500FT.


Changes: TURN NODES ADDED, Editorial.

LTNAD01-179

USE QNH

RNP RWY 25
LAVERTON, WA (YLTN)

7 SEP 2023




RNP APCH
LNAV/VNAV RQMNTS:
• YLTN QNH RQ
• YLTN TEMP RQ
• PROC TEMP RANGE -5°C TO +58°C

Holding at LTNEB

TR	TURN	TIME	MIN. ALT	DME LMT
248°	Left	1	3300	

AD ELEV 1530
Bearings are Magnetic
Elevations in FEET AMSL

NM TO NEXT WPT	RW25	1.1	1.7	2	3	4	LTNEF	0.1				
ALT (3° APCH PATH)		1930	2120	2220	2540	2850	3260	3300				



NOTES

CATEGORY	A	B	C	D
LNAV/VNAV		1930 (400-2.2)		NOT APPLICABLE
LNAV		2120 (590-3.3)		
CIRCLING	2250 (720-2.4)		2400 (870-4.0)	
ALTERNATE		(1220-4.4)	(1370-6.0)	


1. MAX IAS: INITIAL : 210KT.

Changes: CHART TITLE, PBN SPECIFICATION BOX, Editorial. LTNGN01-176


USE QNH

RNP RWY 07
LAVERTON, WA (YLTN)


7 SEP 2023



RNP APCH
LNAV/VNAV RQMNTS:
• YLTN QNH RQ
• YLTN TEMP RQ
• PROC TEMP RANGE
-5°C TO +58°C




TR IN	TURN	TIME	MIN ALT	DME LMT
068°	Left	1	3200	



AD ELEV 1530
Bearings are Magnetic
Elevations in FEET AMSL

NM TO NEXT WPT	0.1	LTNWF	4	3	2	1.5	1.2	RW07				
ALT (3° APCH PATH)	3200	3150	2840	2520	2200	2050	1930					



MISSED APPROACH:
TRACK DCT TO LTNWH,
THEN TRACK 068°.
CLIMB TO 3100FT.

NOTES

1. MAX IAS:
INITIAL : 210KT.

CATEGORY	A	B	C	D
LNAV/VNAV		1930 (418-2.3)		NOT APPLICABLE
LNAV		2050 (538-3.0)		
CIRCLING	2250 (720-2.4)		2400 (870-4.0)	
ALTERNATE		(1220-4.4)	(1370-6.0)	

Changes: CHART TITLE, PBN SPECIFICATION BOX, Editorial. LTNGN02-176