


1 DEC 2022

AD ELEV 212
37 44 44S 140 47 07E

AERODROME CHART
MOUNT GAMBIER, SA (YMTG)



RWY		AERODROME LIGHTING
TAXIWAY : GREEN CENTRELINE TWY B, BLUE EDGE TWY A1, A2 RL : PAL+AA 122.3 , SDBY (30 SEC)		
18 ¹⁷⁶ 356 36	PAPI LEFT SIDE 3.0° 41FT LIRL PAPI LEFT SIDE 3.0° 41FT LIRL	
06 ⁰⁵⁴ 234 24	LIRL LIRL	
11 ¹¹¹ 291 29	NIL NIL	
NOTES		
1. FOR ON GROUND COM ML CEN 120.3 2. AWIS RQ ONE-SECOND PULSE TO ACTIVATE.		

Changes: NOTES 1 AND 2 DELETED, BUILDINGS ADDED, SWITCH OVER TIME.


MTGAD01-173

GNSS ARRIVAL PROCEDURES MOUNT GAMBIER, SA (YMTG)


16 JUN 2022

AWIS 133.425	FIA ML CEN 125.8	CTAF+AFRU 126.65	PAL+AA 122.3	Bearings are Magnetic Elevations in FEET AMSL
-----------------	---------------------	---------------------	-----------------	--


REFERENCE WAYPOINT MTG VOR



25 NM MSA
2500
MTG VOR




MTG NDB 266
MTG VOR 117.0




AD ELEV 212

10 NM MSA 2000

SECTOR A



MTG VOR or NDB
040° 310°



VOR or NDB
2500

3°

1630
1310
1200
MDA
MAPt

MISSED APPROACH:

CLIMB ON TRACK TO 2500FT.

NM TO MTG VOR	25	15	13	8	5	4	0										
CIRCLING MINIMA	A,B: 880-2.4			C: 980-4.0		D: N/A											
NM TO MTG VOR	7.7	7	6	5	4	3	2.7										
ALT (3° APCH PATH)	2500	2260	1950	1630	1310	990	880										

Changes: PAL+AA.



MTGDG01-171

USE QNH

RNP RWY 18

15 JUN 2023

MOUNT GAMBIER, SA (YMTG)



NOTES

CATEGORY	A	B	C	D
LNAV/VNAV	530 (318-1.8)			NOT APPLICABLE
LNAV	730 (518-2.9)			
CIRCLING	880 (668-2.4)		980 (768-4.0)	
ALTERNATE	(1168-4.4)		(1268-6.0)	

1. MAX IAS:
INITIAL : 210KT.

Changes: CHART TITLE, PBN SPECIFICATION BOX, Editorial.


MTGGN01-175

USE QNH

RNP RWY 36


15 JUN 2023

MOUNT GAMBIER, SA (YMTG)



AD ELEV 212
Bearings are Magnetic
Elevations in FEET AMSL

NM TO NEXT WPT	RW36	0.9	1.5	2	2.7	3	4	MTGSF	1	1.9		
ALT (3° APCH PATH)		530	730	880	1110	1200	1520	1900	2220	2500		



NOTES

CATEGORY	A	B	C	D
LNAV/VNAV		530 (336-1.9)		NOT APPLICABLE
LNAV		730 (536-3.0)		
CIRCLING	880 (668-2.4)	980 (768-4.0)		
ALTERNATE	(1168-4.4)		(1268-6.0)	

1. MAX IAS:
INITIAL : 210KT.

Changes: CHART TITLE, PBN SPECIFICATION BOX, Editorial.



MTGGN02-175

USE QNH

NDB RWY 18

MOUNT GAMBIER, SA (YMTG)

16 JUN 2022



NOTES

CATEGORY	A	B	C	D
S-I NDB	880 (668-3.8)			NOT APPLICABLE
CIRCLING	880 (668-2.4)		980 (768-4.0)	
ALTERNATE	(1168-4.4)		(1268-6.0)	

1. MAX IAS:
INITIAL : 210KT.



Changes: PAL+AA.

MTGNB01-171

16 JUN 2022

USE QNH

VOR RWY 18
MOUNT GAMBIER, SA (YMTG)



NOTES

- MAX IAS:
INITIAL : 210KT.

CATEGORY	A	B	C	D
S-I VOR	880 (668-3.8)			NOT APPLICABLE
CIRCLING	880 (668-2.4)		980 (768-4.0)	
ALTERNATE	(1168-4.4)		(1268-6.0)	

Changes: PAL+AA.

MTGVO01-171