


28 NOV 2024

AD ELEV 45
14 43 22S 134 44 51E

AERODROME CHART
NGUKURR, NT (YNGU)



	AERODROME LIGHTING
RWY	RL : SOLAR - EMERG ONLY.
11 ¹¹¹	LIRL
²⁹¹ 29	LIRL



NOTES

1. FIA FREQ BN CEN 122.6 AVBL FL160.

USE QNH

RNP RWY 11
NGUKURR, NT (YNGU)

8 SEP 2022



NOTES

CATEGORY	A	B	C	D
LNAV	800 (755-4.3)			NOT APPLICABLE
CIRCLING	1000 (955-2.4)		1140 (1095-4.0)	
ALTERNATE	(1455-4.4)		(1595-6.0)	

1. MAX IAS:
 INITIAL : 210KT.



Changes: CHART TITLE, PBN SPECIFICATION BOX.

NGUGN01-172


USE QNH

RNP RWY 29
NGUKURR, NT (YNGU)

8 SEP 2022




TR	IN	TURN	TIME	MIN ALT	DME LMT
291°	Right		1	1900	



AD ELEV 45
 Bearings are Magnetic
 Elevations in FEET AMSL

NM TO NEXT WPT	NGUEM	0.6	1	2	3	4	NGUEF				
ALT (3° APCH PATH)		530	650	960	1280	1600	1900				



NOTES

CATEGORY	A	B	C	D
LNAV	530 (497-2.8)			NOT APPLICABLE
CIRCLING	1000 (955-2.4)		1140 (1095-4.0)	
ALTERNATE	(1455-4.4)		(1595-6.0)	

1. MAX IAS:
 INITIAL : 210KT.

Changes: CHART TITLE, PBN SPECIFICATION BOX.

NGUGN02-172