


21 MAR 2024

AD ELEV 455
36 18 40S 141 38 40E

AERODROME CHART
NHILL, VIC (YNHL)

FIA ML CEN 125.8	CTAF 126.7	PAL 119.6		Bearings are Magnetic Elevations in FEET AMSL
---------------------	---------------	--------------	--	--



RWY	AERODROME LIGHTING	
		TWY : BLUE EDGE RL : PAL 119.6 , PTBL IN EMERG
09 ⁰⁹³	LIRL PTBL	
²⁷³ 27	LIRL PTBL	
18 ¹⁷⁷	RTIL PTBL	
³⁵⁷ 36	RTIL PTBL	

NOTES

1. AWIS (PHONE) 03 8470 3218
2. FIA FREQ 125.8 AVBL CIRCUIT AREA.
3. RWY 09/27 AND 18/36 PTBL LIGHTING AVBL DURING EMERG ONLY.


Changes: AD ELEV, THR ELEV, Editorial.

NHLAD01-178

USE QNH

RNP RWY 09
NHILL, VIC (YNHL)


21 MAR 2024



TR	INTURN	TIME	MIN ALT	DME LMT
093°	Left	1	2500	

AD ELEV 455
Bearings are Magnetic
Elevations in FEET AMSL

NM TO NEXT WPT	1.3	NH2WF	4	3	2	1.4	RW09
ALT (3° APCH PATH)	2500	2070	1750	1440	1120	940	



MISSED APPROACH:
TRACK DCT TO NH2WH,
THEN TRACK 093°.
CLIMB TO 2500ft.

CATEGORY	A	B	C	D
LNAV	940 (509-2.9)			NOT APPLICABLE
CIRCLING	1220 (765-2.4)	1320 (865-4.0)		
ALTERNATE	(1265-4.4)	(1365-6.0)		


- NOTES**
- MAX IAS: INITIAL : 210KT.
 - AWIS (PHONE) 03 8470 3218

Changes: THR ELEV, MINIMA, FINAL SEGMENT MINIMUM ALT, WPT NAMING CONVENTION, Editorial. NHLGN01-178

USE QNH


RNP RWY 27
NHILL, VIC (YNHL)

21 MAR 2024



AD ELEV 455
Bearings are Magnetic
Elevations in FEET AMSL

NM TO NEXT WPT	NH2EM	1	2	3	4	NH2EF	0.5				
ALT (3° APCH PATH)		1070	1380	1700	2020	2340	2500				



NOTES

CATEGORY	A	B	C	D
LNAV	1070 (615-3.5)			NOT APPLICABLE
CIRCLING	1220 (765-2.4)		1320 (865-4.0)	
ALTERNATE	(1265-4.4)		(1365-6.0)	

- MAX IAS:
INITIAL : 210KT.
- AWIS (PHONE)
03 8470 3218

Changes: THR ELEV, MINIMA, DIST/ALT TABLE, WPT NAMING CONVENTION, Editorial.

NHLGN02-178