


23 MAR 2023

AD ELEV 569
31 33 04S 147 12 10E

AERODROME CHART
NYNGAN, NSW (YNYN)

FIA ML CEN 123.9	CTAF 126.7	PAL 122.3		Bearings are Magnetic Elevations in FEET AMSL
---------------------	---------------	--------------	--	--



RWY		AERODROME LIGHTING
		TAXIWAY : BLUE EDGE RL : PAL 122.3 , SDBY MAN (ARO 0428 264 262)
05 <small>049</small>		LIRL
<small>229</small> 23		LIRL
18 <small>183</small>		NIL
<small>003</small> 36		NIL



NOTES

1. FIA FREQ 123.9 AVBL 5,000FT.


USE QNH

RNP RWY 05
NYNGAN, NSW (YNYN)

15 JUN 2023




TR	IN	TURN	TIME	MIN	DME
049°	Left	1	2400	ALT	LMT



AD ELEV 569
 Bearings are Magnetic
 Elevations in FEET AMSL

NM TO NEXT WPT	0.3	NY2WF	4	3	2	1.5	NY2WM
ALT (3° APCH PATH)	2400	2290	1970	1650	1340	1170	



NOTES

CATEGORY	A	B	C	D
LNAV	1170 (601-3.4)			NOT APPLICABLE
CIRCLING	1190 (621-2.4)	1290 (721-4.0)		
ALTERNATE	(1121-4.4)		(1221-6.0)	

1. MAX IAS:
 INITIAL : 210KT.


Changes: CHART TITLE, PBN SPECIFICATION BOX, Editorial.

NYNGN01-175


USE QNH

RNP RWY 23
NYNGAN, NSW (YNYN)

15 JUN 2023




TR	IN	TURN	TIME	MIN ALT	DME LMT
229°	Left		1	2400	



AD ELEV 569
 Bearings are Magnetic
 Elevations in FEET AMSL

NM TO NEXT WPT	NY2EM	1.5	2	3	4	NY2EF	0.3				
ALT (3° APCH PATH)	1170	1340	1650	1970	2290	2400					



NOTES

CATEGORY	A	B	C	D
LNAV	1170 (601-3.4)			NOT APPLICABLE
CIRCLING	1190 (621-2.4)	1290 (721-4.0)		
ALTERNATE	(1121-4.4)		(1221-6.0)	

1. MAX IAS:
 INITIAL : 210KT.

Changes: CHART TITLE, PBN SPECIFICATION BOX, Editorial.

NYNGN02-175