


21 MAR 2024

AD ELEV 11  
14 53 51S 141 36 39E

AERODROME CHART  
**PORMPURAAW, QLD (YPMP)**



	<b>AERODROME LIGHTING</b>
<b>RWY</b>	RL : AFRU+PAL 126.7, SDBY (8 SEC)
<b>14</b> <sup>145</sup>	LIRL
<sup>325</sup> <b>32</b>	LIRL

**NOTES**

1. FIA FREQ 118.2 AVBL AT 8,000FT.

Changes: NOTES, Editorial.



PMPAD01-178

USE QNH


RNP RWY 14

15 JUN 2023

PORMPURAAW, QLD (YPMP)




TR	IN	TURN	TIME	MIN ALT	DME LMT
145°	Right		1	1900	



AD ELEV 11  
Bearings are Magnetic  
Elevations in FEET AMSL

NM TO NEXT WPT	0.3	PM2NF	4	3	2	1.1	PM2NM
ALT (3° APCH PATH)	1900	1810	1490	1170	860	550	



**MISSED APPROACH:**  
TRACK DCT TO PM2NH,  
THEN TURN RIGHT,  
TRACK 300°.  
CLIMB TO 1500FT.

NOTES

CATEGORY	A	B	C	D
LNAV	550 (539-3.1)			NOT APPLICABLE
CIRCLING *	750 (739-2.4)	850 (839-4.0)		
ALTERNATE	(1239-4.4)		(1339-6.0)	


- MAX IAS: INITIAL : 210KT.
- \* NO CIRCLING E OF RWY 14 /32.

Changes: WPT NAMING CONVENTION, 372FT OBST, GRID COORD FORMAT, THR ELEV, Editorial. PMPGN01-175


USE QNH

RNP RWY 32  
PORMPURAAW, QLD (YPMP)

15 JUN 2023



NM TO NEXT WPT	PM2SM	0.4	1	2	3	4	PM2SF	0.2					
ALT (3° APCH PATH)		570	760	1080	1400	1720	2030	2100					



NOTES

CATEGORY	A	B	C	D
LNAV	570 (559-3.2)			NOT APPLICABLE
CIRCLING *	750 (739-2.4)		850 (839-4.0)	
ALTERNATE	(1239-4.4)		(1339-6.0)	

- 1. MAX IAS: INITIAL : 210KT.
- \*2. NO CIRCLING E OF RWY 14 /32.

Changes: WPT NAMING CONVENTION, MINIMA, 372FT OBST, GRID COORD FORMAT, Editorial.

PMPGN02-175