


21 MAR 2024

AD ELEV 1027
26 32 43S 148 46 30E

AERODROME CHART
ROMA, QLD (YROM)



	AERODROME LIGHTING	
RWY	TAXIWAY : BLUE EDGE RL : AFRU+PAL 126.95 , SDBY , PTBL	
18 ¹⁸² <i>002</i> 36	PAPI 3.0° 49FT LIRL PAPI 3.0° 49FT LIRL	
09 ⁰⁹² <i>272</i> 27	NIL NIL	

NOTES

1. AWIS REQUIRES 1 SEC TRANSMIT PULSE.



Changes: AFRU+PAL.

ROMAD01-178

**GNSS ARRIVAL PROCEDURES
ROMA, QLD (YROM)**

21 MAR 2024

AWIS 122.125	FIA BN CEN 126.0	CTAF+AFRU 126.95	AFRU+PAL 126.95		Bearings are Magnetic Elevations in FEET AMSL
-----------------	---------------------	---------------------	--------------------	--	--




Changes: AFRU+PAL.

ROMDG01-178


USE QNH

RNP RWY 18
ROMA, QLD (YROM)

21 MAR 2024



NM TO NEXT WPT	RW18	1.1	1.7	2.3	3	4	ROMNF	1	1.8				
ALT (3° APCH PATH)		1400	1600	1770	2000	2320	2730	3050	3300				



NOTES

CATEGORY	A	B	C	D
LNAV/VNAV		1400 (403-2.3)		NOT APPLICABLE
LNAV		1600 (603-3.4)		
CIRCLING	1710 (683-2.4)		1940 (913-4.0)	
ALTERNATE	(1183-4.4)		(1413-6.0)	

1. MAX IAS: INITIAL : 210KT.



Changes: AFRU+PAL.

ROMGN01-178

USE QNH

RNP RWY 36
ROMA, QLD (YROM)

21 MAR 2024



NOTES

CATEGORY	A	B	C	D
LNAV/VNAV		1400 (399-2.2)		NOT APPLICABLE
LNAV		1600 (599-3.4)		
CIRCLING	1710 (683-2.4)		1940 (913-4.0)	
ALTERNATE	(1183-4.4)		(1413-6.0)	

1. MAX IAS:
INITIAL : 210KT.

Changes: AFRU+PAL.

ROMGN02-178

