


28 NOV 2024

AD ELEV 1350
29 05 54S 122 27 19E

AERODROME CHART
SUNRISE DAM, WA (YSRD)

| | | | | |
|---------------------|--------------------|---------------|--|--------------------------------------------------|
| FIA ML CEN 118.4 | CTAF+AFRU 126.8 | PAL 120.25 | | Bearings are Magnetic Elevations in FEET AMSL |
|---------------------|--------------------|---------------|--|--------------------------------------------------|



| RWY | | AERODROME LIGHTING |
|------------------------------|--|----------------------------------------|
| | | TAXIWAY : BLUE EDGE RL : PAL 120.25 |
| 06 <small>059</small> | | PAPI 3.0° 49FT LIRL |
| <small>239</small> 24 | | PAPI 3.0° 49FT LIRL |

NOTES

1. FIA ML CEN 118.4 AVBL 3500FT
2. AFRU NOT AVBL ON GROUND

Changes: THR ELEV.


SRDAD01-181

USE QNH


RNP RWY 06

28 NOV 2024

SUNRISE DAM, WA (YSRD)



| | | | | | | | | | | | | | |
|--------------------|------|-------|------|------|------|------|------|--|--|--|--|--|--|
| NM TO NEXT WPT | 0.1 | RD2WF | 4 | 3 | 2 | 1.5 | RW06 | | | | | | |
| ALT (3° APCH PATH) | 3000 | 2970 | 2650 | 2330 | 2010 | 1860 | | | | | | | |



NOTES

| CATEGORY | A | B | C | D |
|-----------|----------------|---|----------------|----------------|
| LNAV | 1860 (534-3.0) | | | NOT APPLICABLE |
| CIRCLING | 2040 (690-2.4) | | 2270 (920-4.0) | |
| ALTERNATE | (1190-4.4) | | (1420-6.0) | |

1. MAX IAS:
INITIAL : 210KT.

Changes: THR ELEV.



SRDGN01-181

USE QNH


RNP RWY 24

SUNRISE DAM, WA (YSRD)

7 SEP 2023



| TR | IN | TURN | TIME | MIN ALT | DME LMT |
|------|------|------|------|---------|---------|
| 239° | Left | 1 | 3000 | | |




AD ELEV 1350

Bearings are Magnetic
Elevations in FEET AMSL

| NM TO NEXT WPT | RW24 | 1.7 | 1.9 | 3 | 4 | RD2EF | | | | |
|--------------------|------|------|------|------|------|-------|--|--|--|--|
| ALT (3° APCH PATH) | | 1930 | 2000 | 2350 | 2670 | 3000 | | | | |

MISSED APPROACH:

TRACK DCT TO RD2EH,
THEN TRACK 239°.
CLIMB TO 3000FT.



NOTES

- MAX IAS:
INITIAL : 210KT.

| CATEGORY | A | B | C | D |
|-----------|----------------|---|----------------|----------------|
| LNAV | 1930 (580-3.3) | | | NOT APPLICABLE |
| CIRCLING | 2040 (690-2.4) | | 2270 (920-4.0) | |
| ALTERNATE | (1190-4.4) | | (1420-6.0) | |

Changes: CHART TITLE, PBN SPECIFICATION BOX, Editorial.

SRDGN02-176