


30 NOV 2023

AD ELEV 786
25 48 07S 149 53 58E

AERODROME CHART
TAROOM, QLD (YTAM)

FIA BN CEN 126.0	CTAF+AFRU 126.7	AFRU+PAL 126.7		Bearings are Magnetic Elevations in FEET AMSL
---------------------	--------------------	-------------------	--	--



RWY		AERODROME LIGHTING
		TWY : BLUE EDGE RL : AFRU+PAL 126.7 , SDBY (15 SEC)
12 <small>120</small>		LIRL
<small>300</small> 30		LIRL
08 <small>078</small>		NIL
<small>257</small> 26		NIL

NOTES

1. FIA FREQ 126.0 AVBL 8,000FT & ABOVE.



Changes: SDBY LIGHTING.

TAMAD01-177


USE QNH

RNP RWY 12
TAROOM, QLD (YTAM)

16 JUN 2022




TR	IN	TURN	TIME	MIN ALT	DME LMT
120°	Right		1	3000	



AD ELEV 786
Bearings are Magnetic
Elevations in FEET AMSL

NM TO NEXT WPT	1.7	1	TAMWF	4	3	2	1.2	TAMWM
ALT (3° APCH PATH)	3000	2780	2460	2140	1820	1500	1250	



MISSED APPROACH:
TRACK DCT TO TAMWH,
THEN TURN RIGHT,
TRACK 280°,
CLIMB TO 3000FT.

NOTES

CATEGORY	A	B	C	D
LNAV	1250 (519-2.9)			NOT APPLICABLE
CIRCLING	1500 (714-2.4)	1670 (884-4.0)		
ALTERNATE	(1214-4.4)		(1384-6.0)	

1. MAX IAS:
INITIAL : 210KT.



Changes: CHART TITLE, PBN SPECIFICATION BOX.

TAMGN01-171


USE QNH

RNP RWY 30
TAROOM, QLD (YTAM)

16 JUN 2022




TR	IN	TURN	TIME	MIN ALT	DME LMT
300°	Right		1	3000	



AD ELEV 786
Bearings are Magnetic
Elevations in FEET AMSL

NM TO NEXT WPT	TAMEM	1.3	2	3	4	TAMEF	1	1.6				
ALT (3° APCH PATH)		1320	1540	1860	2180	2500	2820	3000				



CATEGORY	A	B	C	D
LNAV	1320 (548-3.1)			NOT APPLICABLE
CIRCLING	1500 (714-2.4)	1670 (884-4.0)		
ALTERNATE	(1214-4.4)	(1384-6.0)		

1. MAX IAS:
INITIAL : 210KT.

Changes: CHART TITLE, PBN SPECIFICATION BOX.

TAMGN02-171