


AD ELEV 316
35 33 34S 144 56 47E

**AERODROME CHART
DENILQUIN, NSW (YDLQ)**

7 SEP 2023

AWIS 133.2	FIA ML CEN 118.6	CTAF 119.0		Bearings are Magnetic Elevations in FEET AMSL
---------------	---------------------	---------------	--	--



AERODROME LIGHTING	
RWY	TAXIWAY : BLUE EDGE RL : MAN
06 <small>055</small>	LIRL (HN)
<small>235</small> 24	LIRL (HN)
12 <small>130</small>	NIL
<small>310</small> 30	NIL

NOTES

1. AWIS REQUIRES 1 SEC PULSE TO ACTIVATE.
2. FIA FREQ 118.6 AVBL 4,500FT.

Changes: NOTES.


DLQAD01-176

USE QNH


RNP RWY 06

DENILQUIN, NSW (YDLQ)


15 JUN 2023



RNP APCH
LNAV/VNAV RQMNTS:
• YDLQ QNH RQ
• YDLQ TEMP RQ
• PROC TEMP RANGE
-5°C TO +60°C




TR	IN	TURN	TIME	MIN ALT	DME LMT
055°	Left	1		2100	



AD ELEV 316
Bearings are Magnetic
Elevations in FEET AMSL

NM TO NEXT WPT	0.2	DLQWF	4	3	2	1.1	0.5	DLQWM				
ALT (3° APCH PATH)	2100	2040	1730	1410	1090	800	600					



MISSED APPROACH:
TRACK DCT TO DLQWH,
TURN LEFT,
TRACK 250°,
CLIMB TO 1900FT.

CATEGORY	A	B	C	D
LNAV/VNAV	600 (286-1.6)			NOT APPLICABLE
LNAV	800 (484-2.7)			
CIRCLING *	910 (594-2.4)		1060 (744-4.0)	
ALTERNATE	(1094-4.4)		(1244-6.0)	

- NOTES**
- MAX IAS:
INITIAL : 210KT.
 - NO CIRCLING S OF RWY 06 & RWY 30 BEYOND 3NM.



Changes: CHART TITLE, PBN SPECIFICATION BOX, Editorial.

DLQGN01-175

USE QNH

RNP RWY 24
DENILQUIN, NSW (YDLQ)

15 JUN 2023



NOTES

CATEGORY	A	B	C	D
LNAV/VNAV	600 (291-1.6)			NOT APPLICABLE
LNAV	800 (484-2.7)			
CIRCLING *	910 (594-2.4)		1060 (744-4.0)	
ALTERNATE	(1094-4.4)		(1244-6.0)	

1. MAX IAS: INITIAL : 210KT.
*2. NO CIRCLING S OF RWY 06 & RWY 30 BEYOND 3NM.

Changes: CHART TITLE, PBN SPECIFICATION BOX, Editorial. DLQGN02-175