


5 SEP 2024

AD ELEV 35

15 29 08S 141 45 05E

**AERODROME CHART
KOWANYAMA, QLD (YKOW)**

AWIS 128.25	FIA BN CEN 118.2	CTAF+AFRU 126.7	UNICOM 126.7	AFRU+PAL 126.7	Bearings are Magnetic Elevations in FEET AMSL
----------------	---------------------	--------------------	-----------------	-------------------	--



RWY	AERODROME LIGHTING
	TAXIWAY : BLUE EDGE RL : AFRU+PAL 126.7 , SDBY (15 SEC) , PTBL (90 MIN PN EXC IN EMERG 60 MIN PN)
12 ¹¹⁴	LIRL PTBL
²⁹⁴ 30	LIRL PTBL

NOTES



1. FIA FREQ 118.2 AVBL 9,500FT.

USE QNH

RNP RWY 12

5 SEP 2024

KOWANYAMA, QLD (YKOW)



CATEGORY	A	B	C	D
LNAV/VNAV		350 (316-1.8)		NOT APPLICABLE
LNAV		550 (515-2.9)		
CIRCLING*	630 (595-2.4)		730 (695-4.0)	
ALTERNATE	(1095-4.4)		(1195-6.0)	

- NOTES**
1. MAX IAS:
INITIAL : 210KT.
 - * 2. NO CIRCLING NORTH OF RWY 12 & RWY 30.

Changes: CTAF+AFRU, Editorial.


KOWGN01-180

USE QNH


RNP RWY 30

5 SEP 2024

KOWANYAMA, QLD (YKOW)



NM TO NEXT WPT	RW30	0.8	1.5	2	3	4	KWMEF	0.1					
ALT (3° APCH PATH)		350	550	720	1040	1360	1760	1800					



NOTES

CATEGORY	A	B	C	D
LNAV/VNAV	350 (315-1.8)			NOT APPLICABLE
LNAV	550 (515-2.9)			
CIRCLING*	630 (595-2.4)		730 (695-4.0)	
ALTERNATE	(1095-4.4)		(1195-6.0)	

1. MAX IAS: INITIAL : 210KT.
- * 2. NO CIRCLING NORTH OF RWY 12 & RWY 30.

Changes: CTAF+AFRU, Editorial.

KOWGN02-180