


17 JUN 2021

AD ELEV 1217
28 52 41S 121 18 53E

AERODROME CHART
LEONORA, WA (YLEO)



	AERODROME LIGHTING
RWY	TWY : BLUE EDGE RL : AFRU+PAL 126.8 , SDBY (30 SEC)
04 <small>036</small>	PAPI 3.0° 45.4FT LIRL
<small>216</small> 22	PAPI 3.0° 45.7FT LIRL
12 <small>132</small>	NIL
<small>312</small> 30	NIL

NOTES

1. AWIS RQ ONE-SECOND PULSE TO ACTIVATE.

Changes: NOTE 1.


LEOAD01-167

GNSS ARRIVAL PROCEDURES LEONORA, WA (YLEO)

15 AUG 2019



AWIS 124.75	FIA ML CEN 118.4	CTAF+AFRU 126.8	AFRU+PAL 126.8		Bearings are Magnetic Elevations in FEET AMSL
----------------	---------------------	--------------------	-------------------	--	--

25 NM MSA




10 NM MSA 2700

REFERENCE WAYPOINT LEO NDB


AD ELEV 1217

ALL TRACKS TO LEO NDB	△							MISSED APPROACH:
								CLIMB ON TRACK TO 3100FT.
NM TO LEO NDB	25	15	7	5	2	0		
CIRCLING MINIMA			A,B: 2050-2.4		C: 2140-4.0		D: N/A	
NM TO LEO NDB	4.2	3	2	1.2	0.9			
ALT (3° APCH PATH)	3100	2720	2400	2140	2050			

USE QNH

RNP RWY 22
LEONORA, WA (YLEO)


7 SEP 2023



TR IN	TURN	TIME	MIN ALT	DME LMT
216°	Left	1	3100	

AD ELEV 1217
Bearings are Magnetic
Elevations in FEET AMSL

NM TO NEXT WPT	LEONM	1.8	2	3	4	LEONF	0.5				
ALT (3° APCH PATH)		1930	1990	2310	2630	2950	3100				



NOTES

CATEGORY	A	B	C	D
LNAV	1930 (713-4.1)			NOT APPLICABLE
CIRCLING	2040 (823-2.4)		2140 (923-4.0)	
ALTERNATE	(1323-4.4)		(1423-6.0)	

1. MAX IAS:
INITIAL : 210KT.



Changes: CHART TITLE, PBN SPECIFICATION BOX, Editorial.

LEOGN01-176

USE QNH

NDB RWY 04
LEONORA, WA (YLEO)

15 AUG 2019



NOTES

1. MAX IAS:
INITIAL : 210KT.

CATEGORY	A	B	C	D
S-I NDB	1910 (705-4.0)			NOT APPLICABLE
CIRCLING	2040 (823-2.4)		2140 (923-4.0)	
ALTERNATE	(1323-4.4)		(1423-6.0)	

Changes: OUTBOUND TRKS, HOLDING TRKS, COORD FORMAT.

LEONB01-160