


13 JUN 2024

AD ELEV 677
20 42 07S 143 06 53E

AERODROME CHART
RICHMOND, QLD (YRMD)

FIA BN CEN 123.95	CTAF+AFRU 126.7	AFRU+PAL 126.7		Bearings are Magnetic Elevations in FEET AMSL
----------------------	--------------------	-------------------	--	--



RWY	AERODROME LIGHTING
	TAXIWAY : BLUE EDGE RL : AFRU+PAL 126.7 , PTBL PN , SDBY (15 SEC)
09 <small>092</small>	LIRL
<small>272</small> 27	LIRL

NOTES

1. AWIS (PHONE) 07 3564 3733
2. FIA FREQ 123.95 AVBL 3,500FT.

Changes: TWY, Editorial.



RMDAD01-179

USE QNH


RNP RWY 09

RICHMOND, QLD (YRMD)

16 JUN 2022




TR	IN	TURN	TIME	MIN ALT	DME LMT
092°	Left	1	2400		



AD ELEV 677
Bearings are Magnetic
Elevations in FEET AMSL

NM TO NEXT WPT	0.1	RMDWF	4	3	2	1.2	RMDWM					
ALT (3° APCH PATH)	2400	2390	2070	1750	1430	1190						



MISSED APPROACH:
TRACK DCT TO RMDWH,
THEN TURN LEFT,
TRACK 285°,
CLIMB TO 2400FT.

NOTES

CATEGORY	A	B	C	D
LNAV	1190 (530-3.0)			NOT APPLICABLE
CIRCLING	1320 (643-2.4)		1460 (783-4.0)	
ALTERNATE	(1143-4.4)		(1283-6.0)	

- MAX IAS: INITIAL : 210KT.
- AWIS (PHONE) 07 3564 3733

Changes: CHART TITLE, PBN SPECIFICATION BOX.



RMDGN01-171

USE QNH


RNP RWY 27

RICHMOND, QLD (YRMD)

16 JUN 2022




TR	IN	TURN	TIME	MIN	DME
				ALT	LMT
272°	Left	1	2400		



AD ELEV 677
Bearings are Magnetic
Elevations in FEET AMSL

NM TO NEXT WPT	RMDEM	1.2	2	3	4	RMDEF			
ALT (3° APCH PATH)		1190	1450	1770	2090	2400			



NOTES

CATEGORY	A	B	C	D
LNAV	1190 (513-2.9)			NOT APPLICABLE
CIRCLING	1320 (643-2.4)	1460 (783-4.0)		
ALTERNATE	(1143-4.4)		(1283-6.0)	

- MAX IAS: INITIAL : 210KT.
- AWIS (PHONE) 07 3564 3733

Changes: CHART TITLE, PBN SPECIFICATION BOX.

RMDGN02-171