


21 MAR 2024

AD ELEV 1027  
26 32 43S 148 46 30E

AERODROME CHART  
**ROMA, QLD (YROM)**



	<b>AERODROME LIGHTING</b>
<b>RWY</b>	TAXIWAY : BLUE EDGE RL : AFRU+PAL 126.95 , SDBY , PTBL
<b>18</b> <sup>182</sup> <i>002</i> <b>36</b>	PAPI 3.0° 49FT LIRL PAPI 3.0° 49FT LIRL
<b>09</b> <sup>092</sup> <i>272</i> <b>27</b>	NIL NIL

**NOTES**

1. AWIS REQUIRES 1 SEC TRANSMIT PULSE.



Changes: AFRU+PAL.

ROMAD01-178

**GNSS ARRIVAL PROCEDURES  
ROMA, QLD (YROM)**

**21 MAR 2024**

AWIS 122.125	FIA BN CEN 126.0	CTAF+AFRU 126.95	AFRU+PAL 126.95		Bearings are Magnetic Elevations in FEET AMSL
-----------------	---------------------	---------------------	--------------------	--	--




Changes: AFRU+PAL.

ROMDG01-178


USE QNH

RNP RWY 18  
ROMA, QLD (YROM)

21 MAR 2024



NM TO NEXT WPT	RW18	1.1	1.7	2.3	3	4	ROMNF	1	1.8				
ALT (3° APCH PATH)		1400	1600	1770	2000	2320	2730	3050	3300				



**NOTES**

CATEGORY	A	B	C	D
LNAV/VNAV		1400 (403-2.3)		NOT APPLICABLE
LNAV		1600 (603-3.4)		
CIRCLING	1710 (683-2.4)		1940 (913-4.0)	
ALTERNATE	(1183-4.4)		(1413-6.0)	

1. MAX IAS:  
INITIAL : 210KT.



Changes: AFRU+PAL.

ROMGN01-178

USE QNH

RNP RWY 36  
ROMA, QLD (YROM)

21 MAR 2024



NOTES

1. MAX IAS:  
INITIAL : 210KT.

CATEGORY	A	B	C	D
LNAV/VNAV		1400 (399-2.2)		NOT APPLICABLE
LNAV		1600 (599-3.4)		
CIRCLING	1710 (683-2.4)		1940 (913-4.0)	
ALTERNATE	(1183-4.4)		(1413-6.0)	



Changes: AFRU+PAL.

ROMGN02-178

USE QNH

NDB RWY 36  
ROMA, QLD (YROM)

21 MAR 2024



NOTES

CATEGORY	A	B	C	D
S-I NDB	1650 (649-3.7)			NOT APPLICABLE
CIRCLING	1710 (683-2.4)	1940 (913-4.0)		
ALTERNATE	(1183-4.4)	(1413-6.0)		

1. MAX IAS:  
INITIAL : 210KT.

Changes: AFRU+PAL.

ROMNB01-178