


30 NOV 2023

AD ELEV 1350
29 05 54S 122 27 19E

AERODROME CHART
SUNRISE DAM, WA (YSRD)



	AERODROME LIGHTING
RWY	TAXIWAY : BLUE EDGE RL : PAL 120.25
06 <small>059</small>	PAPI 3.0° 49FT LIRL
<small>239</small> 24	PAPI 3.0° 49FT LIRL

NOTES

1. FIA ML CEN 118.4 AVBL 3500FT
2. AFRU NOT AVBL ON GROUND

Changes: TURN PADS, TWY, Editorial.



SRDAD01-177

USE QNH


RNP RWY 06

SUNRISE DAM, WA (YSRD)

7 SEP 2023




TR	IN	TURN	TIME	MIN ALT	DME LMT
059°	Left	1	3000		



AD ELEV 1350
Bearings are Magnetic
Elevations in FEET AMSL

NM TO NEXT WPT	0.1	RD2WF	4	3	2	1.5	RW06
ALT (3° APCH PATH)	3000	2970	2650	2330	2010	1860	



MISSED APPROACH:
TRACK DCT TO RD2WH, THEN TRACK 059°, CLIMB TO 3000FT.

NOTES

1. MAX IAS: INITIAL : 210KT.

CATEGORY	A	B	C	D
LNAV	1860 (533-3.0)			NOT APPLICABLE
CIRCLING	2040 (690-2.4)		2270 (920-4.0)	
ALTERNATE	(1190-4.4)		(1420-6.0)	



Changes: CHART TITLE, PBN SPECIFICATION BOX, Editorial. SRDGN01-176

USE QNH


RNP RWY 24

SUNRISE DAM, WA (YSRD)

7 SEP 2023




TR	IN	TURN	TIME	MIN	DME
				ALT	LMT
239°	Left	1		3000	



AD ELEV 1350
Bearings are Magnetic
Elevations in FEET AMSL

NM TO NEXT WPT	RW24	1.7	1.9	3	4	RD2EF				
ALT (3° APCH PATH)		1930	2000	2350	2670	3000				



NOTES

CATEGORY	A	B	C	D
LNAV	1930 (580-3.3)			NOT APPLICABLE
CIRCLING	2040 (690-2.4)		2270 (920-4.0)	
ALTERNATE	(1190-4.4)		(1420-6.0)	

1. MAX IAS:
INITIAL : 210KLT.

Changes: CHART TITLE, PBN SPECIFICATION BOX, Editorial.

SRDGN02-176