


19 MAR 2026

AD ELEV 233
34 56 36S 117 48 32E

AERODROME CHART
ALBANY, WA (YABA)







Changes: PTBL RWY LGT, ADD NOTE 2, Editorial.

ABAAD01-186

DME or GNSS ARRIVAL PROCEDURES ALBANY, WA (YABA)

15 AUG 2019





Changes: VEMON TRACK, Editorial.

ABADG01-160

USE QNH

RNP RWY 14
ALBANY, WA (YABA)

7 SEP 2023



NOTES

- MAX IAS:
HOLDING : 210KT.
INITIAL : 210KT.
- NO CIRCLING IN
SECTOR EAST OF
RWY 14/32 & SOUTH
OF RWY 05/23.
- COLOUR: SEE
SPEC NOTICES.

CATEGORY	A	B	C	D
LNAV/VNAV	540 (314-1.7)			
LNAV	730 (504-2.9)			
CIRCLING *	1120 (887-2.4)	1170 (937-4.0)	1290 (1057-5.0)	
ALTERNATE	(1387-4.4)	(1437-6.0)	(1557-7.0)	

Changes: CHART TITLE, PBN SPECIFICATION BOX, Editorial.

ABAGN01-176

RNP RWY 32
ALBANY, WA (YABA)

AWIS 122.125 FIA ML CEN 123.9 CTAF+AFRU 127.85 AFRU+PAL 127.85

117 40 00E 117 50 00E 118 00 00E

34 50 00S 35 00 00S 35 10 00S

25 NM MSA 3300 YABA ARP

10 NM MSA 2100

WINDFARM 715 671 612

AL2EH 3NM 317° RW32 5NM 317° AL2EE 4NM 317° AL2EI 4NM 227° AL2EG 4NM 047° AL2EE 4NM 317°

Scale 1:500,000 5NM

0 1 2 3 4 5

2° W

Holding at AL2EE


137° 247° 067°

TR IN	TURN	TIME	MIN ALT	DME LMT
317°	Right	1	3300	

AD ELEV 233

Bearings are Magnetic Elevations in FEET AMSL

* NO CIRCLING



1. MAX IAS:
HOLDING: 210KT.
INITIAL : 210KT.
- *2. NO CIRCLING IN
SECTOR EAST OF
RWY 14/32 & SOUTH
OF RWY 05/23.
3. **COLOUR:** SEE
SPEC NOTICES.

CATEGORY	A	B	C	D
LNAV/VNAV		540 (323-1.8)		
LNAV		730 (513-2.9)		
CIRCLING *	1120 (887-2.4)		1170 (937-4.0)	1290 (1057-5.0)
ALTERNATE	(1387-4.4)		(1437-6.0)	(1557-7.0)

ABAGN02-176

NDB-Y RWY 14
ALBANY, WA (YABA)

AWIS
122.125

FIA
ML CEN 123.9

CTAF+AFRU
127.85

AFRU+PAL
127.85

NAVAID RQ:
• DME

Holding at ABA NDB

170°
240°
060°

TR IN	TURN	TIME	MIN ALT	DME LMT
350°	Left	1	3300	

ABA NDB
240
DME 109.7

10 ABA
8 ABA
CAT A&B
CAT C&D
4 ABA
330°
338°
146°
146°

671
715
WINDFARM
612


25 NM MSA
3300
ABA NDB
10 NM MSA 2100

Scale 1:500,000
0 5NM

AD ELEV 233
Bearings are Magnetic
Elevations in FEET AMSL

* NO CIRCLING
NDB/DME

DIST TO ABA DME	9.8	9	8	7	6	5	4	3	2.4				
ALT (3.1° APCD PATH)	3300	3020	2690	2360	2030	1700	1370	1040	850				



1. MAX IAS:
INITIAL : 210KT.
- * 2. NO CIRCLING IN
SECTOR EAST OF
RWY 14/32 & SOUTH
OF RWY 05/23.
3. APCH PATH ANGLE
DOES NOT COINCIDE
WITH PAPl ON GLIDE
SLOPE INDICATION.
4. **COLOUR**: SEE
SPEC NOTICES.



CATEGORY	A	B	C	D
S-I NDB/DME	850 (617-3.5)			
CIRCLING *	1120 (887-2.4)		1170 (937-4.0)	1290 (1057-5.0)
ALTERNATE	(1387-4.4)		(1437-6.0)	(1557-7.0)

ABANB01-161

USE QNH

NDB-Z RWY 14
ALBANY, WA (YABA)

7 NOV 2019



CATEGORY	A	B	C	D
S-I NDB	1120 (887-5.0)			NOT APPLICABLE
CIRCLING *	1120 (887-2.4)		1170 (937-4.0)	
ALTERNATE	(1387-4.4)		(1437-6.0)	

- NOTES**
- MAX IAS:
INITIAL :
CAT A&B 140KT.
CAT C 210KT.
 - NO CIRCLING IN SECTOR EAST OF RWY 14/32 & SOUTH OF RWY 05/23.
 - COLOUR: SEE SPEC NOTICES.


Changes: D136 & 500FT CONTOUR REMOVED.

ABANB02-161

USE QNH

NDB RWY 32
ALBANY, WA (YABA)


7 NOV 2019



DIST TO ABA DME	2	3	4	5	6	7	8	9	9.9				
ALT (3° APCH PATH)	780	1100	1420	1740	2060	2370	2690	3010	3300				

MISSED APPROACH:

TRACK 308°
CLIMB TO 3300FT.



NM TO ABA DME

NOTES

- MAX IAS:
INITIAL :
CAT A&B 140KT.
CAT C 210KT.
- NO CIRCLING IN
SECTOR EAST OF
RWY 14/32 & SOUTH
OF RWY 05/23.
- COLOUR: SEE
SPEC NOTICES.

CATEGORY	A	B	C	D
S-I NDB/DME	780 (563-3.1)			
CIRCLING *	1120 (887-2.4)	1170 (937-4.0)	1290 (1057-5.0)	
ALTERNATE	(1387-4.4)	(1437-6.0)	(1557-7.0)	

Changes: D136 & 500FT CONTOUR REMOVED.

ABANB03-161