




RWY	AERODROME LIGHTING	
	TAXIWAY : BLUE EDGE RL : AFRU+PAL 126.7, SDBY (30 SEC)	
03 037	LIRL	
217 21	LIRL	

NOTES



1. FIA FREQ 125.7 AVBL 3,000ft.

USE QNH

RNP RWY 03

1 DEC 2022

BURKETOWN, QLD (YBKT)



NOTES

CATEGORY	A	B	C	D
LNAV/VNAV	300 (279-1.5)			NOT APPLICABLE
LNAV	500 (479-2.7)			
CIRCLING	620 (599-2.4)		720 (699-4.0)	
ALTERNATE	(1109-4.4)		(1199-6.0)	

1. MAX IAS:
INITIAL : 210KT.

Changes: HOLDING ALTITUDE.

BKTGN01-173

RNP RWY 21
BURKETOWN, QLD (YBKT)

AWIS 123.05 FIA BN CEN 125.7 CTAF+AFRU 126.7 AFRU+PAL 126.7

RNP APCH
 LNAV/VNAV RQMNTS:
 • YBKT QNH RQ
 • YBKT TEMP RQ
 • PROC TEMP RANGE +6°C TO +54°C

Holding at BKZNE

TR IN	TURN	TIME	MIN ALT	DME LMT
217°	Left	1	1700	

AD ELEV 21
 Bearings are Magnetic
 Elevations in FEET AMSL

MISSED APPROACH:
TRACK DCT TO BKNH,
THEN TRACK 217°. CLIMB TO 1500FT.

MAPt RW21

FAF BKNF 1660 3°

IF BKNH 1500

IAF 1700 BKNH BKNH BKNH

217°

217°

700

600

TCH 50FT

THR 21 ELEV 18

MAPt MDA

NM TO RW21

4 0 2 5 10 15

CATEGORY	A	B	C	D
LNAV/VNAV	340 (322-1.8)			NOT APPLICABLE
LNAV	540 (519-2.9)			
CIRCLING	620 (599-2.4)	720 (699-4.0)		
ALTERNATE	(1109-4.4)		(1199-6.0)	

Changes: CHART TITLE, PBN SPECIFICATION BOX, Editorial.

BKTGN02-171