





GNSS ARRIVAL PROCEDURES COOBER PEDY, SA (YCBP)

16 JUN 2022

AWIS 122.125	FIA ML CEN 120.7	CTAF+AFRU 126.7	PAL+AA 119.6		Bearings are Magnetic Elevations in FEET AMSL
-----------------	---------------------	--------------------	-----------------	--	--



25 NM MSA


2200

CBP NDB

REFERENCE WAYPOINT CBP NDB




CBP NDB 341



10 NM MSA 2200


AD ELEV 745

SECTOR A



133° 174°

CBP NDB



2200

1700

MDA

MAPt

355°

2200

MISSED APPROACH:

TURN LEFT,
TRACK 355°.
CLIMB TO 2200FT.

MAX IAS: 190KT UNTIL
ESTABLISHED ON 355°


CIRCLING MINIMA	A,B: 1390-2.4		C: 1620-4.0		D: N/A	
NM TO CBP NDB	4.6	4	3	2.7	2	
ALT (3° APCH PATH)	2200	2020	1700	1620	1390	

SECTOR B



175° 205°

CBP NDB



2200

1700

MDA

MAPt

355°

2200


MISSED APPROACH:

TURN RIGHT,
TRACK 355°.
CLIMB TO 2200FT.

MAX IAS: 190KT UNTIL
ESTABLISHED ON 355°


CIRCLING MINIMA	A,B: 1390-2.4		C: 1620-4.0		D: N/A	
NM TO CBP NDB	4.6	4	3	2.7	2	
ALT (3° APCH PATH)	2200	2020	1700	1620	1390	

SECTOR C



133° 200°

CBP NDB



2200

1700

MDA

MAPt

355°

2200

MISSED APPROACH:

CLIMB ON TRACK TO
2200FT.

PROC NOT AVBL
WHEN R246A,B
ACTIVE.

CIRCLING MINIMA	A,B: 1530-2.4		C: 1620-4.0		D: N/A	
NM TO CBP NDB	4.6	4	3	2.7	2.5	
ALT (3° APCH PATH)	2200	2020	1700	1620	1530	



Changes: SECTOR C MINIMA, DIST/ALT TABLE, PAL+AA. CBPDG01-171

USE QNH

RNP RWY 04

19 MAR 2026

COOBER PEDY, SA (YCBP)



NOTES

CATEGORY	A	B	C	D
LNAV/VNAV	1080 (346-1.9)			NOT APPLICABLE
LNAV	1270 (536-3.0)			
CIRCLING	1390 (645-2.4)		1620 (875-4.0)	
ALTERNATE	(1145-4.4)		(1375-6.0)	

1. MAX IAS:
INITIAL : 180KT.
2. PROC NOT AVBL
WHEN R246B ACTIVE.

Changes: OBST AMD, Editorial.



CBPGN01-186

USE QNH

RNP RWY 22

19 MAR 2026

COOBER PEDY, SA (YCBP)



NOTES

1. MAX IAS:
INITIAL : 210KT.

CATEGORY	A	B	C	D
LNAV/VNAV	1080 (335-1.9)			NOT APPLICABLE
LNAV	1270 (525-3.0)			
CIRCLING	1390 (645-2.4)	1620 (875-4.0)		
ALTERNATE	(1145-4.4)	(1375-6.0)		

Changes: OBST AMD, Editorial.

CBPGN02-186

NDB RWY 22
COOBER PEDY, SA (YCBP)

AWIS 122.125	FIA ML CEN 120.7	CTAF+AFRU 126.7	PAL+AA 119.6
-------------------------------	-----------------------------------	----------------------------------	-------------------------------

134 30 00E
134 40 00E
134 50 00E

Holding at CBP NDB *

TR IN	TURN	TIME	MIN ALT	DME LMT
068°	Left	1	2200	

NDB

AD ELEV 745

[illegible]

1. MAX IAS:
INITIAL : 210KT
HOLDING: 180KT.
- * 2. HOLDING NOT AVBL
WHEN **R246B** ACTIVE.

CATEGORY	A	B	C	D
S-I NDB	1390 (645-3.7)			NOT APPLICABLE
CIRCLING	1390 (645-2.4)		1620 (875-4.0)	
ALTERNATE	(1145-4.4)		(1375-6.0)	

CBPNB01-186