




DME or GNSS ARRIVAL PROCEDURES COOMA-SNOWY MOUNTAINS, NSW (YCOM) Page 1

23 MAR 2023

FIA ML CEN 120.75	CTAF+AFRU 118.1	AFRU+PAL 118.1		Bearings are Magnetic Elevations in FEET AMSL
----------------------	--------------------	-------------------	--	--

10 NM MSA 5700

**DME USING COM DME
REFERENCE WAYPOINT COM NDB**

AWIS (PHONE) 02 9353 6414

COM
NDB 293
DME 114.0

* NO CIRCLING WEST OF RWY 18/36.

AD ELEV 3106

CB TO COM

MISSED APPROACH:
TRACK 178°,
CLIMB TO 5600FT.

NM TO COM NDB	27	19	15	10	9	8	3/8	0						
CIRCLING MINIMA				A,B: 4330-5.0		C: 4330-5.0		D: 4330-5.0						
NM TO COM NDB	13.3	13	12	11	10	9	8	7	6.8					
ALT (3° APCH PATH)	6400	6290	5970	5660	5340	5020	4700	4380	4330					

SECTOR A

MISSED APPROACH:
TRACK 190°,
CLIMB TO 5600FT.

NM TO COM NDB	25	19	15	12	10	8	6	3/8	0					
CIRCLING MINIMA				A,B: 4250-5.0		C: 4250-5.0		D: 4250-5.0						
NM TO COM NDB	17.3	17	16	15	14	13	12	11	10	9	8	7	6	5.5
ALT (3° APCH PATH)	8000	7920	7600	7280	6960	6640	6320	6010	5690	5370	5050	4730	4410	4250

SECTOR B

MISSED APPROACH:
TRACK 002°,
CLIMB TO 5600FT,
THEN TURN LEFT TO NDB.





NM TO COM NDB	25	15	10	6	5		0	2/7						
CIRCLING MINIMA				A,B: 4250-5.0		C: 4250-5.0		D: 4250-5.0						
NM TO COM NDB	7.5	7	6	5	4	3.3								
ALT (3° APCH PATH)	5600	5430	5110	4790	4470	4250								

Changes: FIA

COMDG01-174

DME or GNSS ARRIVAL PROCEDURES COOMA-SNOWY MOUNTAINS, NSW (YCOM) Page 2

23 MAR 2023

FIA ML CEN 120.75	CTAF+AFRU 118.1	AFRU+PAL 118.1			Bearings are Magnetic Elevations in FEET AMSL
	DME USING COM DME REFERENCE WAYPOINT COM NDB AWIS (PHONE) 02 9353 6414				
10 NM MSA 5700	* NO CIRCLING WEST OF RWY 18/36.			AD ELEV 3106	
SECTOR C 					
					
NM TO COM NDB					
24 17 15 12 8 5 0					
CIRCLING MINIMA					
A,B: 4250-5.0			C: 4250-5.0 D: 4250-5.0		
NM TO COM NDB					
ALT (3° APCH PATH)					
8000 7760 7440 7120 6800 6480 6160 5840 5530 5210 4890 4570 4250					


Changes: FIA

COMDG02-174

USE QNH COOMA-SNOWY MOUNTAINS, NSW (YCOM)

RNP RWY 18


5 SEP 2024



NM TO NEXT WPT	COMNM	1.4	2	3	4	5	6	COMNF	1	2	3	4	COMNI	1	2.5
ALT (3° APCH PATH)		3830	4010	4330	4650	4970	5280	5600	5920	6240	6560	6880	7200	7510	8000

MISSSED APPROACH:

TRACK DCT TO COMNH.
TURN LEFT TRACK 040°.
CLIMB TO 5600ft.



NOTES

- MAX IAS:
INITIAL : 210KT.
- NO CIRCLING WEST
OF RWY 18 / 36.
- AWIS (PHONE)
02 9353 6414
- COLOUR: SEE
SPEC NOTICES.
- CAUTION:
INITIAL SEGMENTS
OVERLAY YPFT
RNP N.

CATEGORY	A	B	C	D
LNAV	3830 (783-4.5)			NOT APPLICABLE
CIRCLING *	4060 (954-2.4)		4160 (1054-4.0)	
ALTERNATE	(1454-4.4)		(1554-6.0)	



Changes: LIT OBSTACLES.

COMGN01-180

USE QNH COOMA-SNOWY MOUNTAINS, NSW (YCOM)

RNP RWY 36

5 SEP 2024



CATEGORY	A	B	C	D
LNAV	3740 (653-3.7)			NOT APPLICABLE
CIRCLING *	4060 (954-2.4)		4160 (1054-4.0)	
ALTERNATE	(1454-4.4)		(1554-6.0)	



Changes: LIT OBSTACLES, Editorial.

COMGN02-180

USE QNH COOMA-SNOWY MOUNTAINS, NSW (YCOM)

NDB-Z RWY 36

28 NOV 2024



NOTES

CATEGORY	A	B	C	D
S-I NDB/DME	3840 (753-4.3)			
CIRCLING *	4060 (954-2.4)		4160 (1054-5.0)	
ALTERNATE	(1454-4.4)		(1554-7.0)	

- MAX IAS:
INITIAL : 210KT.
- NO CIRCLING WEST
OF RWY 18 / 36.
- AWIS (PHONE)
02 9353 6414
- COLOUR: SEE
SPEC NOTICES.



Changes: ABN DCMSD, Editorial.

COMNB01-181

USE QNH COOMA-SNOWY MOUNTAINS, NSW (YCOM)

NDB-Y RWY 36

5 SEP 2024



NOTES

CATEGORY	A	B	D
S-I NDB	3940 (853-4.2)		NOT APPLICABLE
CIRCLING *	4060 (954-2.4)		
ALTERNATE	(1454-4.4)		

- *1. NO CIRCLING WEST OF RWY 18 / 36.
- #2. GRADIENT AFTER FAF 6.4% (390FT/NM).
3. AWIS (PHONE) 02 9353 6414
4. COLOUR: SEE SPEC NOTICES.

Changes: LIT OBSTACLES, Editorial.

COMNB02-180