





GNSS ARRIVAL PROCEDURES
DERBY, WA (YDBY)



09 JUL 2026



USE QNH

RNP RWY 11
DERBY, WA (YDBY)

09 JUL 2026



CATEGORY	A	B	C	D
LNAV/VNAV		350 (330-1.8)		NOT APPLICABLE
LNAV		550 (525-3.0)		
CIRCLING	660 (635-2.4)		840 (815-4.0)	
ALTERNATE	(1135-4.4)		(1315-6.0)	

1. MAX IAS:
INITIAL : 210KT.
2. **CAUTION:** PROC IS
OVERLAID BY YCIN
RNP RWY 11 HOLDING.
PRESCRIBED MNM
ALT ENSURES
SEPARATION.



Changes: THR ELEVATION, AD ELEVATION, MINIMA.

DBYGN01-187

USE QNH

RNP RWY 29
DERBY, WA (YDBY)

09 JUL 2026



NOTES

CATEGORY	A	B	C	D
LNAV/VNAV	420 (395-2.2)			NOT APPLICABLE
LNAV	620 (595-3.4)			
CIRCLING	660 (635-2.4)		840 (815-4.0)	
ALTERNATE	(1135-4.4)		(1315-6.0)	

1. MAX IAS:
INITIAL : 210KT.

Changes: THR ELEVATION, AD ELEVATION, MINIMA.



DBYGN02-187

USE QNH

NDB-A

09 JUL 2026

DERBY, WA (YDBY)



NOTES

CATEGORY	A	B	C	D
				NOT APPROVED
CIRCLING	660 (635-2.4)		840 (815-4.0)	
ALTERNATE	(1135-4.4)		(1315-6.0)	

- MAX IAS:
INITIAL : 210KT.
- YCIN RNP RWY 11
HOLDING OVERLIES
MISSED APCH.

Changes: AD ELEVATION, MINIMA.

DBYNB01-187