


AWIS 132.95	FIA ML CEN 134.65	CTAF+AFRU 126.55	AFRU+PAL 126.55	Bearings are Magnetic Elevations in FEET AMSL
----------------	----------------------	---------------------	--------------------	--







RWY	AERODROME LIGHTING	
	TAXIWAY : BLUE EDGE TWY A, GREEN CL REFLECTORS TWY B1, B2 AND B3 RL : AFRU+PAL 126.55 , SDBY (60 SEC)	
06 055	PAPI 3.0° 39.4FT LIRL	
235 24	PAPI 3.0° 39.4FT LIRL	
18 178	NIL	
358 36	NIL	

NOTES	

GNSS ARRIVAL PROCEDURES GRIFFITH, NSW (YGTH) Page 1

5 NOV 2020




Changes: Editorial.

GTHDG01-165

GNSS ARRIVAL PROCEDURES GRIFFITH, NSW (YGTH) Page 2

5 NOV 2020





USE QNH

RNP RWY 06

19 MAR 2026

GRIFFITH, NSW (YGTH)



NOTES

CATEGORY	A	B	C	D
LNAV/VNAV	930 (503-2.8)			NOT APPLICABLE
LNAV	1050 (623-3.5)			
CIRCLING *	1240 (801-2.4)	1340 (901-4.0)		
ALTERNATE	(1301-4.4)		(1401-6.0)	

1. MAX IAS:
INITIAL : 210KT.* 2. NO CIRCLING IN
SECTOR NE OF
RWY 06 & 36
BEYOND 3NM.



Changes: 773FT OBST DELETED, Editorial.

GTHGN01-186

USE QNH

RNP RWY 24
GRIFFITH, NSW (YGTH)

19 MAR 2026



NOTES

CATEGORY	A	B	C	D
LNAV/VNAV	910 (471-2.7)			NOT APPLICABLE
LNAV	1040 (601-3.4)			
CIRCLING *	1240 (801-2.4)	1340 (901-4.0)		
ALTERNATE	(1301-4.4)	(1401-6.0)		

1. MAX IAS:
INITIAL : 210KT.
- * 2. NO CIRCLING IN
SECTOR NE OF
RWY 06 & 36
BEYOND 3NM.

Changes: 773FT OBST DELETED, Editorial.



GTHGN02-186

USE QNH

NDB-A

19 MAR 2026

GRIFFITH, NSW (YGTH)



NOTES

CATEGORY	A	B	C	D
				NOT APPLICABLE
CIRCLING *	1240 (801-2.4)		1340 (901-4.0)	
ALTERNATE	(1301-4.4)		(1401-6.0)	

1. MAX IAS:
INITIAL : 210KT.* 2. NO CIRCLING IN
SECTOR NE OF
RWY 06 & 36
BEYOND 3NM.

Changes: 773FT OBST DELETED, Editorial.

GTHNB01-186