


5 SEP 2024

AD ELEV 1346
18 14 02S 127 40 11E


AERODROME CHART
HALLS CREEK, WA (YHLC)



GNSS ARRIVAL PROCEDURES HALLS CREEK, WA (YHLC)

15 AUG 2019

FIA BN CEN 118.2	CTAF+AFRU 126.7	AFRU+PAL 126.7			Bearings are Magnetic Elevations in FEET AMSL
---------------------	--------------------	-------------------	--	--	--




25 NM MSA
3400
HLC NDB

REFERENCE WAYPOINT HLC NDB

AWIS (PHONE) 08 6216 2617







10 NM MSA 3400

AD ELEV 1346

SECTOR A







MISSED APPROACH:

TURN AS APPROPRIATE,
TRACK 096°. CLIMB TO 3400FT.

NM TO HLC NDB	25	22	15						5	0					
CIRCLING MINIMA						A,B: 2350-2.4		C: 2450-4.0		D: N/A					
NM TO HLC NDB	6	5	4	3	2.7										
ALT (3° APCH PATH)	3400	3100	2780	2460	2350										

SECTOR B







MISSED APPROACH:

TURN AS APPROPRIATE,
TRACK 270°. CLIMB TO 3400FT.

NM TO HLC NDB	25	15						10	7	5	0					
CIRCLING MINIMA						A,B: 2360-2.4		C: 2450-4.0		D: N/A						
NM TO HLC NDB	5.6	5	4	3	2.7											
ALT (3° APCH PATH)	3400	3110	2790	2470	2360											

SECTOR C





MISSED APPROACH:

TURN RIGHT,
TRACK 096°. CLIMB TO 3400FT.

NM TO HLC NDB	25	15						11	8	5	4	0					
CIRCLING MINIMA						A,B: 2350-2.4		C: 2450-4.0		D: N/A							
NM TO HLC NDB	6	5	4	3	2.7												
ALT (3° APCH PATH)	3400	3100	2780	2460	2350												

Changes: AWIS PHONE, Editorial.



HLCDG01-160

USE QNH

RNP RWY 04

HALLS CREEK, WA (YHLC)

20 MAR 2025



NOTES

CATEGORY	A	B	C	D
LNAV	1940 (594-3.4)			NOT APPLICABLE
CIRCLING	2350 (1004-2.4)		2450 (1104-4.0)	
ALTERNATE	(1504-4.4)		(1604-6.0)	

- MAX IAS:
INITIAL : 210KT.
- AWIS (PHONE)
08 6216 2617



Changes: Editorial.

HLCGN01-182

USE QNH

RNP RWY 22
HALLS CREEK, WA (YHLC)

20 MAR 2025



NOTES

CATEGORY	A	B	C	D
LNAV	1980 (650-3.7)			NOT APPLICABLE
CIRCLING	2350 (1004-2.4)		2450 (1054-4.0)	
ALTERNATE	(1504-4.4)		(1604-6.0)	

- MAX IAS:
INITIAL : 210KT.
- AWIS (PHONE)
08 6216 2617

Changes: Editorial.

HLCGN02-182

NDB RWY 04
HALLS CREEK, WA (YHLC)

FIA
BN CEN 118.2

CTAF+AFRU
126.7

AFRU+PAL
126.7

HLC NDB 245

2331

1522

1959

1837

1798

1680

1670

18 10 00S

127 30 00E

127 40 00E

127 50 00E

18 20 00S

127 30 00E

127 40 00E

127 50 00E

18 20 00S

18 10 00S

10 NM MSA 3400

25 NM MSA 3400

HLC NDB

Scale 1:500,000

0 5NM

3° E

070°

140°

320°

046°

250°


240°

CAT C

CAT A&B

AD ELEV 1346

TR	TURN	TIME	MIN ALT	DME LMT
250°	Left	1	3400	

[illegible]

CATEGORY	A	B	C	D	
S-I NDB	2220 (874-5.0)			NOT APPLICABLE	
CIRCLING	2350 (1004-2.4)		2450(1104-4.0)		
ALTERNATE	(1504-4.4)		(1604-6.0)		



1. MAX IAS:
INITIAL :
CAT A&B 140KT.
CAT C 210KT.
2. AWIS (PHONE)
08 6216 2617

HLCNB01-182

USE QNH

NDB RWY 22
HALLS CREEK, WA (YHLC)

20 MAR 2025



NOTES

CATEGORY	A	B	C	D
S-I NDB	2350 (1020-5.0)			NOT APPLICABLE
CIRCLING	2350 (1004-2.4)		2450(1104-4.0)	
ALTERNATE	(1504-4.4)		(1604-6.0)	

- MAX IAS:
INITIAL :
CAT A&B 130KT.
CAT C 190KT.
- AWIS (PHONE)
08 6216 2617

Changes: Editorial.

HLCNB02-182