





25 MAR 2021



PARKING POSITION INFORMATION


STAND	CO-ORDINATES		ELEV (ft)	CAPACITY	HYDRANT FUEL
1	30 47 09.20S	121 27 29.30E	1181	A320/B738	NIL
2	30 47 08.48S	121 27 27.09E	1181	A320	NIL
3	30 47 07.85S	121 27 24.51E	1181	A320/B738/C130	NIL
3A	30 47 08.65S	121 27 24.83E	1181	A333/B789	NIL
4	30 47 10.39S	121 27 24.15E	1181	A321/B738	NIL
5	30 47 11.12S	121 27 26.28E	1181	A321/B738	NIL
6	30 47 10.51S	121 27 30.40E	1181	DH8B/SF34	NIL

Changes: BAY 1A DELETED, BAY COORDS UPDATE, BAY 2-5 CAPACITY UPDATE, BAY 6 ADDED, "GA EAST" APN LABEL ADDED, CHART NAME CHANGE.

PKGAP01-166

DME or GNSS ARRIVAL PROCEDURES
KALGOORLIE-BOULDER, WA (YPKG)

28 NOV 2024





USE QNH

RNP Z RWY 11

12 JUN 2025

KALGOORLIE-BOULDER, WA (YPKG)



CATEGORY	A	B	C	D
LNAV/VNAV	1590 (387-2.2)			
LNAV	1780 (577-3.3)			
CIRCLING	2080 (877-2.4)		2180 (977-4.0)	2200 (997-5.0)
ALTERNATE	(1377-4.4)		(1477-6.0)	(1497-7.0)

- MAX IAS:
INITIAL : 210KT.
 - NO CIRCLING IN
SECTOR NE OF RWY
11/29 AND RWY 18/36.
- CAUTION:**
1657ft RADIO MAST
2.5NM 280°KG VOR/
DME ON RWY APCH
PATH.

Changes: MINE DIAGRAM AND NOTE, Editorial.



PKGGN01-183

USE QNH

RNP RWY 18

12 JUN 2025

KALGOORLIE-BOULDER, WA (YPKG)



NOTES

1. NO CIRCLING IN SECTOR NE OF RWY 11/29 AND RWY 18/36.

CAUTION:
1657ft RADIO MAST
2.5NM 280°KG VOR/
DME ON RWY APCH
PATH.

CATEGORY	A	B	C	D
LNAV/VNAV	1510 (344-1.9)		NOT APPLICABLE	
LNAV	1780 (614-3.5)			
CIRCLING	2080 (877-2.4)			
ALTERNATE	(1377-4.4)			

Changes: MINE DIAGRAM AND NOTE, Editorial.



PKGGN02-183

USE QNH

RNP RWY 36

12 JUN 2025

KALGOORLIE-BOULDER, WA (YPKG)



CATEGORY	A	B	C	D
LNAV/VNAV	1690 (503-2.8)		NOT APPLICABLE	
LNAV	1780 (593-3.4)			
CIRCLING	2080 (877-2.4)			
ALTERNATE	(1377-4.4)			

1. NO CIRCLING IN
SECTOR NE OF RWY
11/29 AND RWY 18/36.
- CAUTION:**
1657ft RADIO MAST
2.5NM 280°KG VOR/
DME ON RWY APCH
PATH.

Changes: MINE DIAGRAM AND NOTE, Editorial.

PKGGN04-183


FOR CASA APPROVED OPERATORS ONLY

RNP U RWY 11 (AR) - Page 1

27 NOV 2025

USE QNH

KALGOORLIE-BOULDER, WA (YPKG)



CATEGORY	A	B	C	D
RNP (0.30)	N/A		DA(H) 1541 (338 - 1.9)	DA(H) 1541 (338 - 1.9)
CIRCLING			NOT AUTHORISED	NOT AUTHORISED
ALTERNATE				

1. LATERAL TRANSITION TO MAP MUST NOT BE INITIATED PRIOR TO DA/H PSN
2. MIN MAP GRAD (AE) 3.5% TO 3100FT
3. APCH PATH DOES NOT COINCIDE WITH PAPI GP 3°.

202508041415 General Electric Company Proprietary & Confidential Information

Changes: Mine diagram, editorial.

PKGGN05-185

DO NOT USE FOR NAVIGATION

Prepared by GE Aerospace

© Airservices Australia




**FOR CASA APPROVED
OPERATORS ONLY**

RNP U RWY 29 (AR) - Page 1


27 NOV 2025

USE QNH

KALGOORLIE-BOULDER, WA (YPKG)



NM TO NEXT WPT	RW29	0.8	1	KG902	LADEP	KG912			
ALT (2.8° APCH PATH)		1425	1485	2800	3100	5800			



NM TO RW29	7.2	0		5.3					
------------	-----	---	--	-----	--	--	--	--	--

CATEGORY	A	B	C	D
RNP (0.30)			DA(H) 1487 (340 - 1.9)	DA(H) 1487 (340 - 1.9)
RNP (0.20)			DA(H) 1427 (280 - 1.5)	DA(H) 1427 (280 - 1.5)
CIRCLING			NOT AUTHORISED	NOT AUTHORISED
ALTERNATE				

NOTES

1. LATERAL TRANSITION TO MAP MUST NOT BE INITIATED PRIOR TO DA/H PSN
2. MIN MAP GRAD (AE) FOR RNP 0.20 3.9% AND RNP 0.30 3.7% TO 3100FT
3. APCH PATH DOES NOT COINCIDE WITH PAPI GP 3°.

202508041415 General Electric Company Proprietary & Confidential Information

Changes: Mine diagram, editorial.

PKGGN06-185

DO NOT USE FOR NAVIGATION

Prepared by GE Aerospace

© Airservices Australia





USE QNH

RNP Y RWY 29 (LNAV/VNAV ONLY)

28 NOV 2024

KALGOORLIE-BOULDER, WA (YPKG)



NOTES

1. MAX IAS:
INITIAL : 210KTS
- *2.NO CIRCLING IN
SECTOR NE OF
RWY 11/29 AND
RWY 18/36

CAUTION:

1657FT RADIO MAST
3NM/277° FROM ARP

Changes: FROM SUP H117/24

PKGGN08-181


**FOR CASA APPROVED
OPERATORS ONLY**

RNP U RWY 29 (AR) - Page 2

27 NOV 2025

USE QNH

KALGOORLIE-BOULDER, WA (YPKG)



ENGINE OUT MISSED APPROACH:

TRACK VIA THE RNP AR ENGINE OUT MISSED APPROACH TRACK TO LADEP AND HOLD AS PUBLISHED.
ACCELERATION ALTITUDE 2200FT QNH (1000FT AGL).
MAXIMUM HOLDING SPEED 230KT.
EO HOLD ONLY.

202508041412 General Electric Company Proprietary & Confidential Information

Changes: Mine diagram, editorial.

PKGGN09-185

DO NOT USE FOR NAVIGATION

Prepared by GE Aerospace

© Airservices Australia




**FOR CASA APPROVED
OPERATORS ONLY**

RNP U RWY 11 (AR) - Page 2

27 NOV 2025

USE QNH

KALGOORLIE-BOULDER, WA (YPKG)



ENGINE OUT MISSED APPROACH:

TRACK VIA THE RNP AR ENGINE OUT MISSED APPROACH TRACK TO IDGIB AND HOLD AS PUBLISHED.
ACCELERATION ALTITUDE 2200FT QNH (1000FT AGL).
MAXIMUM HOLDING SPEED 230KT.
EO HOLD ONLY.

202508041412 General Electric Company Proprietary & Confidential Information

Changes: Mine diagram, editorial.

PKGGN10-185

DO NOT USE FOR NAVIGATION

Prepared by GE Aerospace

© Airservices Australia



USE QNH

NDB RWY 11

28 NOV 2024

KALGOORLIE-BOULDER, WA (YPKG)

AWIS 126.25	FIA ML CEN 125.75	CTAF + AFRU 126.6	UNICOM 126.6	AFRU + PAL 126.6
----------------	----------------------	----------------------	-----------------	---------------------

TR	INTURN	TIME	MIN ALT	DME LMT
278°	Left	1	3100	

Holding at KG NDB

168°
098°
348°

***NO CIRCLING**

9°
KG VOR/DME
KG NDB

AD ELEV 1203

DIST BY DME	5.8	5	4	3	2.3	2	1.7			
ALT (3° APCH PATH)	3100	2860	2540	2220	2000	1900	1810			

MISSED APPROACH:
TRACK 119° OUTBOUND,
CLIMB TO 3100FT.

2700 (NDB) 3° 3100
CAT A&B 288° (3 MIN)
CAT C&D 278° (2 MIN)
2860 119° 2000 1900
MDA 1900 MAPt THR 11 ELEV 1203
NM TO DME KG

NOTES

1. MAX IAS:
INITIAL : 210KTS
- *2.NO CIRCLING IN
SECTOR NE OF RWY
11/29 AND RWY 18/36
- CAUTION:**
1657FT RADIO MAST
2.5NM KG DME/B-102°
TO KG NDB.

CATEGORY	A	B	C	D
S-I NDB	2050 (847 - 4.8)			
S-I NDB/DME	1810 (607 - 3.4)			
CIRCLING*	2080 (877 - 2.4)		2180 (977 - 4.0)	2200 (997 - 5.0)
ALTERNATE	(1377 - 4.4)		(1477 - 6.0)	(1497 - 7.0)

Changes: FROM SUP H117/24

PKGNB02-181





USE QNH

VOR-Z RWY 11

12 JUN 2025

KALGOORLIE-BOULDER, WA (YPKG)



NOTES

- MAX IAS:
INITIAL : 210KT.
- NO CIRCLING IN
SECTOR NE OF RWY
11/29 AND RWY 18/36.

CAUTION:
1657ft RADIO MAST
2.5NM 280° KG VOR/
DME ON RWY APCH
PATH.

CATEGORY	A	B	C	D
S-I VOR/DME	1780 (577-3.3)			
CIRCLING	2080 (877-2.4)	2180 (977-4.0)	2200 (997-5.0)	
ALTERNATE	(1377-4.4)	(1477-6.0)	(1497-7.0)	


Changes: MINE DIAGRAM AND NOTE, Editorial.

PKGVO01-183

USE QNH

VOR-Z RWY 29

28 NOV 2024

KALGOORLIE-BOULDER, WA (YPKG)

DIST BY DME	3	3.5	4	5	6	7	7.1			
ALT (3° APCH PATH)	1780	1950	2110	2430	2750	3060	3100			

MISSED APPROACH:
 TRACK R-287 OUTBOUND,
 CLIMB TO 3100FT.

GNSS permitted in lieu of DME
 Reference waypoint KG VOR

Diagram illustrating the missed approach procedure for Runway 29 at KGRB. The procedure involves tracking R-287 outbound and climbing to 3100 feet. Key altitudes and distances are marked: 1780 feet at the MAPt, 1950 feet at 3.5 DME, 2430 feet at 5 DME, and 2700 feet at 7.1 DME. The final climb to 3100 feet occurs between 8 and 10 DME. Waypoints include LR-119 KG, LR-107 KG, LR-095 KG, LR-145 KG, and R-069 KG. The diagram also indicates the TCH 50FT and THR 29 ELEV 1147.

NOTES

1. MAX IAS:
INITIAL : 210KTS
- *2.NO CIRCLING IN
SECTOR NE OF RWY
11/29 AND RWY 18/36

CAUTION:

1657FT RADIO MAST
2.5NM/R-280 FROM
KG VOR/DME.

CATEGORY	A	B	C	D
S-I VOR	1780 (633 - 3.6)			
CIRCLING*	2080 (877 - 2.4)		2180 (977 - 4.0)	2200 (997 - 5.0)
ALTERNATE	(1377 - 4.4)		(1477 - 6.0)	(1497 - 7.0)

Changes: FROM SUP H117/24

PKGVO03-181



**GLOBAL AIRSPACE SOLUTIONS** PL

USE QNH

VOR-Z RWY 36

12 JUN 2025

KALGOORLIE-BOULDER, WA (YPKG)

**NOTES**

- MAX IAS:
INITIAL : 210KT.
- NO CIRCLING IN
SECTOR NE OF RWY
11/29 AND RWY 18/36.

CAUTION:
1657ft RADIO MAST
2.5NM 280°KG VOR/
DME ON RWY APCH
PATH.

Changes: MINE DIAGRAM AND NOTE, COORD FORMAT, Editorial.



PKG004-183

USE QNH

VOR-Y RWY 18

12 JUN 2025

KALGOORLIE-BOULDER, WA (YPKG)



NOTES

CATEGORY	A	B	C	D
S-I VOR	1940 (774-4.4)		NOT APPLICABLE	
CIRCLING	2080 (877-2.4)			
ALTERNATE	(1377-4.4)			

1. NO CIRCLING IN SECTOR NE OF RWY 11/29 AND RWY 18/36.

CAUTION:
1657ft RADIO MAST
2.5NM 280°KG VOR/
DME ON RWY APCH
PATH.

Changes: MINE DIAGRAM AND NOTE, Editorial.



PKGVO06-183

USE QNH

VOR-Y RWY 29

28 NOV 2024

KALGOORLIE-BOULDER, WA (YPKG)



NOTES

1. MAX IAS:
INITIAL : 210KTS
 - *2.NO CIRCLING IN
SECTOR NE OF RWY
11/29 AND RWY 18/36
 - *3.CIRCLING VALUES
ONLY APPLY TO THIS
PROCEDURE
- CAUTION:**
1657FT RADIO MAST
2.5NM/R-280 FROM KG
VOR/DME.

CATEGORY	A	B	C	D
S-I VOR	2100 (953 - 5.0)			
CIRCLING*	2310 (1107 - 2.4)	2410 (1207 - 4.0)	2410 (1207 - 5.0)	
ALTERNATE	(1607 - 4.4)	(1707 - 6.0)	(1707 - 7.0)	

Changes: FROM SUP H117/24



PKGVO07-181

USE QNH

VOR-Y RWY 36

KALGOORLIE-BOULDER, WA (YPKG)

12 JUN 2025



NOTES

CATEGORY	A	B	C	D
S-I VOR	2000 (813-4.6)		NOT APPLICABLE	
CIRCLING	2080 (877-2.4)			
ALTERNATE	(1377-4.4)			

- NO CIRCLING IN SECTOR NE OF RWY 11/29 AND RWY 18/36.

CAUTION:
1657ft RADIO MAST
2.5NM 280°KG VOR/
DME ON RWY APCH
PATH.

Changes: MINE DIAGRAM AND NOTE, Editorial.

PKGVO08-183