





GNSS ARRIVAL PROCEDURES
MOREE, NSW (YMOR)

13 JUN 2024



RNP RWY 19
MOREE, NSW (YMOR)

AWIS 129.2 **FIA BN CEN 127.1** **CTAF+AFRU 126.7** **AFRU+PAL 126.7**

149 40 00E 149 50 00E 150 00 00E

29 20 00S 29 30 00S

OR2NC
OR2NA
OR2NI
OR2ND
OR2NF
OR2NH

YAIR

864
958
916
896
946
936
860
920
RW19

25 NM MSA
2100
B-105
B-010
3500

10 NM MSA 2100

Scale 1:500,000
0 5NM

11°E

Holding at OR2NC

TR	TURN	TIME	MIN ALT	DME LMT
187°	Left	1	3500	

AD ELEV 701
Bearings are Magnetic
Elevations in FEET AMSL

MISSED APPROACH:
 TRACK DCT to ORO2NH,
 THEN TRACK 187°
 CLIMB TO 3500ft.

MAHF
 ORO2NH

MAPt
 RW19

FAF
 ORO2NF

IF
 ORO2NI

IAF

3500
 ORO2NA
 ORO2NC
 ORO2ND

187°

2340

187°

3°

2100

2100

MDA

TCH 50FT
 THR 19 ELEV 701

NM TO RW19

3

0

5

10

15

CATEGORY	A	B	C	D
LNAV/VNAV	1050 (349-1.9)			NOT APPLICABLE
LNAV	1270 (569-3.2)			
CIRCLING	1350 (649-2.4)	1450 (749-4.0)		
ALTERNATE	(1149-4.4)		(1249-6.0)	



MORGN01-180

USE QNH

RNP RWY 01

MOREE, NSW (YMOR)

5 SEP 2024



NOTES

CATEGORY	A	B	C	D
LNAV/VNAV	1010 (313-1.7)			NOT APPLICABLE
LNAV	1270 (569-3.2)			
CIRCLING	1350 (649-2.4)		1450 (749-4.0)	
ALTERNATE	(1149-4.4)		(1249-6.0)	

1. MAX IAS:
INITIAL : 210KT.



Changes: YAIR AD.

MORG02-180

USE QNH

NDB RWY 19
MOREE, NSW (YMOR)

5 SEP 2024

**NOTES**

CATEGORY	A	B	C	D
S-I NDB	1340 (639-3.6)			NOT APPLICABLE
CIRCLING	1350 (649-2.4)		1450 (749-4.0)	
ALTERNATE	(1149-4.4)		(1249-6.0)	

 1. MAX IAS:
 INITIAL : 210KT.

Changes: YAIR AD.

MORNB01-180