





23 MAR 2023

GNSS ARRIVAL PROCEDURES
MOUNT MAGNET, WA (YMOG)





Changes: CAUTION NOTE.

USE QNH

RNP RWY 16

04 SEP 2025

MOUNT MAGNET, WA (YMOG)



CATEGORY	A	B	C	D
LNAV/VNAV	1760 (406-2.3)			NOT APPLICABLE
LNAV	1940 (586-3.3)			
CIRCLING	2030 (676-2.4)		2250 (896-4.0)	
ALTERNATE	(1176-4.4)		(1396-6.0)	

1. MAX IAS:
INITIAL : 210KT.

Changes: CIRCLING MINIMA, ALTERNATE MINIMA.



MOGGN01-184

USE QNH

RNP RWY 34

04 SEP 2025

MOUNT MAGNET, WA (YMOG)



NOTES

CATEGORY	A	B	C	D
LNAV/VNAV	1620 (295-1.6)			NOT APPLICABLE
LNAV	1810 (485-2.7)			
CIRCLING	2030 (676-2.4)		2250 (896-4.0)	
ALTERNATE	(1176-4.4)		(1396-6.0)	

1. MAX IAS:
 INITIAL : 210KT.

Changes: CIRCLING MINIMA, ALTERNATE MINIMA.

MOGGN02-184

NDB-A
MOUNT MAGNET, WA (YMOG)

AWIS 122.975 FIA ML CEN 124.8 CTAF+AFRU 126.7 AFRU+PAL 126.7

117 40 00E 117 50 00E 118 00 00E

28 00 00S

28 10 00S

117 40 00E 117 50 00E 118 00 00E

10 NM MSA 3000

25 NM MSA 3000

MOG NDB

D107 2000 SFC

1700 1611 1906 1526 1598 1601

182° 038° 051° CAT A&B CAT C

MOG NDB 395

MAPt

Scale 1:500,000 5NM

Holding at MOG NDB

TR	TURN	TIME	MIN ALT	DME LMT
051°	Left	1	3000	

Bearing are Magnetic Elevations in FEET AMSL


121° 231° 307°

NDB

AD ELEV 1354

[illegible]

MISSED APPROACH:
CLIMB ON TRACK
TO 3000ft.



CATEGORY	A	B	C	D
				NOT APPLICABLE
CIRCLING	2030 (676-2.4)		2250 (896-4.0)	
ALTERNATE	(1176-4.4)		(1396-6.0)	

1. MAX IAS:
INITIAL : 210KT.

Changes: CIRCLING MINIMA, ALTERNATE MINIMA.

MOGNB01-184