





# GNSS ARRIVAL PROCEDURES MUDGE, NSW (YMDG) Page 1

09 JUL 2026


|                      |               |                 |  |  |                                                  |
|----------------------|---------------|-----------------|--|--|--------------------------------------------------|
| FIA<br>BN CEN 133.05 | CTAF<br>126.7 | PAL+AA<br>122.3 |  |  | Bearings are Magnetic<br>Elevations in FEET AMSL |
|----------------------|---------------|-----------------|--|--|--------------------------------------------------|



10 NM MSA 4500

**REFERENCE WAYPOINT MDG NDB**

AWIS (PHONE) 02 9353 6439





**AD ELEV 1545**

**MDG**  
NDB 398

\* NO CIRCLING IN SECTOR S OF RWY 04/22 AND E OF RWY 16/34.

**SECTOR A**







**MISSED APPROACH:**

TURN AS APPROPRIATE,  
TRACK 150°. CLIMB TO 4800ft.

|                        |      |      |                      |      |                    |      |               |      |  |  |  |  |  |  |
|------------------------|------|------|----------------------|------|--------------------|------|---------------|------|--|--|--|--|--|--|
| NM TO MDG NDB          | 25   | 15   | 7                    | 5    | 3                  | 0    |               |      |  |  |  |  |  |  |
| <b>CIRCLING MINIMA</b> |      |      | <b>A,B: 3200-2.4</b> |      | <b>C: 3520-4.0</b> |      | <b>D: N/A</b> |      |  |  |  |  |  |  |
| NM TO MDG NDB          | 6.8  | 6    | 5                    | 4    | 3                  | 2.7  | 2             | 1.7  |  |  |  |  |  |  |
| ALT (3° APCH PATH)     | 4800 | 4550 | 4230                 | 3920 | 3600               | 3520 | 3280          | 3200 |  |  |  |  |  |  |

**SECTOR B**







**MISSED APPROACH:**

TURN RIGHT,  
TRACK 300°. CLIMB TO 4100ft.

|                        |      |      |                      |      |                    |      |               |      |  |  |  |  |  |  |
|------------------------|------|------|----------------------|------|--------------------|------|---------------|------|--|--|--|--|--|--|
| NM TO MDG NDB          | 25   | 15   | 8                    | 5    | 3                  | 0    |               |      |  |  |  |  |  |  |
| <b>CIRCLING MINIMA</b> |      |      | <b>A,B: 3160-2.4</b> |      | <b>C: 3520-4.0</b> |      | <b>D: N/A</b> |      |  |  |  |  |  |  |
| NM TO MDG NDB          | 5.5  | 5    | 4                    | 3    | 2                  | 1.5  | 1             | 0.4  |  |  |  |  |  |  |
| ALT (3° APCH PATH)     | 4800 | 4630 | 4320                 | 4000 | 3680               | 3520 | 3360          | 3160 |  |  |  |  |  |  |

**SECTOR C**





**MISSED APPROACH:**


TURN AS APPROPRIATE,  
TRACK 300°. CLIMB TO 4100ft.

|                        |      |      |                      |      |                    |      |               |      |  |  |  |  |  |  |
|------------------------|------|------|----------------------|------|--------------------|------|---------------|------|--|--|--|--|--|--|
| NM TO MDG NDB          | 25   | 15   | 7                    | 5    | 3                  | 2    | 0             |      |  |  |  |  |  |  |
| <b>CIRCLING MINIMA</b> |      |      | <b>A,B: 3150-2.4</b> |      | <b>C: 3520-4.0</b> |      | <b>D: N/A</b> |      |  |  |  |  |  |  |
| NM TO MDG NDB          | 5.5  | 5    | 4                    | 3    | 2                  | 1.5  | 1             | 0.3  |  |  |  |  |  |  |
| ALT (3° APCH PATH)     | 4800 | 4630 | 4320                 | 4000 | 3680               | 3520 | 3360          | 3150 |  |  |  |  |  |  |

Changes: PAL+AA.

MDGDG01-187

09 JUL 2026



RNP RWY 22  
**MUDGEES, NSW (YMDG)**

**FIA**  
**BN CEN 133.05**

**CTAF**  
**126.7**

**PAL+AA**  
**122.3**

**RNP APCH**

**Holding at MD2EB**

| TR   | TURN | TIME | MIN ALT | DME LMT |
|------|------|------|---------|---------|
| 211° | Left | 1    | 4100    |         |

**AD ELEV 1545**  
Bearings are Magnetic  
Elevations in FEET AMSL

| NM TO NEXT WPT     | MD2EM | 1.9  | 2    | 3    | 4    | 5    | MD2EF | 1.1  |  |  |  |  |  |
|--------------------|-------|------|------|------|------|------|-------|------|--|--|--|--|--|
| ALT (3° APCH PATH) |       | 2430 | 2470 | 2790 | 3110 | 3430 | 3750  | 4100 |  |  |  |  |  |

**MISSED APPROACH:**  
 TURN RIGHT,  
 TRACK DCT TO MD2EH,  
 THEN TRACK 300°.  
 CLIMB TO 4100ft.

THR 22 ELEV 1545

MD2EH

MD2EM

MD2EF

MD2EI

MD2EA  
MD2EB  
MD2EC

4100

300°

212°

211°

3750

3110

2630

3000

3500

4100

2600

MAPt

MDA

NM TO MD2EM

1. MAX IAS:  
HOLDING : 210KT.  
INITIAL : 210KT.  
# MISSED APCH  
TURN : 190KT.  
\* 2. NO CIRCLING IN  
SECTOR S OF RWY  
04 / 22 AND E OF  
RWY 16 / 34.  
3. AWIS (PHONE)  
02 9353 6439

| CATEGORY   | A               | B | C               | D                 |
|------------|-----------------|---|-----------------|-------------------|
| LNAV       | 2430 (885-5.0)  |   |                 | NOT<br>APPLICABLE |
|            |                 |   |                 |                   |
| CIRCLING * | 3150 (1605-2.4) |   | 3520 (1975-4.0) |                   |
| ALTERNATE  | (2105-4.4)      |   | (2475-6.0)      |                   |



MDGGN01-187

USE QNH

RNP RWY 04

09 JUL 2026

MUDGEES, NSW (YMDG)



| CATEGORY          | A               | B | C                 | D                 |
|-------------------|-----------------|---|-------------------|-------------------|
| LNAV              | 2390 (882-4.4)  |   | NOT<br>AUTHORISED | NOT<br>APPLICABLE |
| LNAV (3.3% MAPCH) | 2260 (752-3.7)  |   |                   |                   |
| CIRCLING*         | 3150 (1605-2.4) |   | 3520 (1975-4.0)   |                   |
| ALTERNATE         | (2105-4.4)      |   | (2475-6.0)        |                   |



Changes: PAL+AA.

MDGGN02-187

USE QNH

NDB RWY 22  
MUDGEES, NSW (YMDG)

09 JUL 2026



| CATEGORY   | A               | B | C               | D                 |
|------------|-----------------|---|-----------------|-------------------|
| S-I NDB    | 3110 (1565-5.0) |   |                 | NOT<br>APPLICABLE |
| CIRCLING * | 3150 (1605-2.4) |   | 3520 (1975-4.0) |                   |
| ALTERNATE  | (2105-4.4)      |   | (2475-6.0)      |                   |

Changes: PAL+AA.

MDGNB01-187