AD ELEV 45
14 43 22S 134 44 51E

AERODROME CHART
NGUKURR, NT (YNGU)

FIA	CTAF			Bearings are Magnetic
BN CEN 122.6	**126.7**			Elevations in FEET AMSL



RWY	AERODROME LIGHTING
	RL : SOLAR - EMERG ONLY.
11 *111*	LIRL
291 **29**	LIRL

NOTES

1. FIA FREQ BN CEN 122.6 AVBL FL160.

Changes: IWI, TWY A, TERMINAL, Editorial.

NGUAD01-181

© Airservices Australia

airservices australia

USE QNH

RNP RWY 11

8 SEP 2022

NGUKURR, NT (YNGU)



NM TO NEXT WPT	0.4	NGUWF	4	3	2	NGUWM						
ALT (3° APCH PATH)	1900	1770	1450	1130	800							



NOTES

1. MAX IAS:
   INITIAL : 210KT.

CATEGORY	A	B	C	D
LNAV	**800** (755-4.3)			NOT APPLICABLE
CIRCLING	**1000** (955-2.4)		**1140** (1095-4.0)	
ALTERNATE	(1455-4.4)		(1595-6.0)	

Changes: CHART TITLE, PBN SPECIFICATION BOX.

NGUGN01-172

© Airservices Australia

airservices

USE QNH

RNP RWY 29

8 SEP 2022

NGUKURR, NT (YNGU)

FIA	CTAF
BN CEN 122.6	**126.7**

RNP APCH



Holding at NGUEB

TR IN	TURN	TIME	MIN ALT	DME LMT
291°	Right	1	1900	

AD ELEV 45

Bearings are Magnetic
Elevations in FEET AMSL

NM TO NEXT WPT	NGUEM	0.6	1	2	3	4	NGUEF						
ALT (3° APCH PATH)		530	650	960	1280	1600	1900						

MISSED APPROACH:

TRACK DCT TO NGUEH,
THEN TRACK 291°.
NOT BELOW 1400FT
TURN RIGHT,
TRACK 091°.
CLIMB TO 1900FT.



NOTES

1. MAX IAS:
   INITIAL : 210KT.

CATEGORY	A	B	C	D
LNAV	**530** (497-2.8)			NOT APPLICABLE
CIRCLING	**1000** (955-2.4)		**1140**(1095-4.0)	
ALTERNATE	(1455-4.4)		(1595-6.0)	

Changes: CHART TITLE, PBN SPECIFICATION BOX.

NGUGN02-172

© Airservices Australia

airservices