


13 JUN 2024

AD ELEV 3112
33 22 41S 149 07 32E

AERODROME CHART
ORANGE, NSW (YORG)





USE QNH

RNP RWY 11

15 JUN 2023

ORANGE, NSW (YORG)



NOTES

CATEGORY	A	B	C	D
LNAV/VNAV	3510 (411-2.3)			NOT APPLICABLE
LNAV	3700 (601-3.4)			
CIRCLING	3810 (698-2.4)		4310 (1198-4.0)	
ALTERNATE	(1198-4.4)		(1698-6.0)	

1. MAX IAS:
HOLDING: 210KT.
INITIAL : 210KT.

Changes: CHART TITLE, PBN SPECIFICATION BOX, Editorial.

ORGGN01-175

RNP RWY 29
ORANGE, NSW (YORG)

The map displays the proposed shipping route from AWIS (128.8) to FIA (135.25), CTAF+AFRU (119.0), and AFRU+PAL (119.0). The route is marked with a dashed line and includes several waypoints and distances:

- AWIS 128.8 to FIA ML CEN 135.25: 308° bearing, 304/4.8 NM distance.
- FIA ML CEN 135.25 to CTAF+AFRU 119.0: 294° bearing, 5.3 NM distance.
- CTAF+AFRU 119.0 to AFRU+PAL 119.0: 294° bearing, 5 NM distance.
- AFRU+PAL 119.0 to AFRU+PAL 119.0: 224° bearing, 5 NM distance.
- AFRU+PAL 119.0 to AFRU+PAL 119.0: 294° bearing, 5 NM distance.
- AFRU+PAL 119.0 to AFRU+PAL 119.0: 004° bearing, 5 NM distance.

The map also shows various navigational markers, including OAGEH, OAGEF, OAGEI, OAGEE, and OAGED. Other features include the 33 20 00S latitude line, the 149 00 00E longitude line, and the 149 10 00E longitude line. A scale bar indicates 1:500,000, and a compass rose shows the 12°E magnetic variation.


A circular inset map shows the location of the study area within the 10 NM MSA 6100, with bearings of B-175° and B-010° to the 6100 and 5200 depths, respectively. The inset also shows the location of the YORG ARP and the 6100 depth contour.

TR IN	TURN	TIME	MIN ALT	DME LMT
004°	Left	1	5200	/

Bearings are Magnetic
Elevations in FEET AMSL

NM TO NEXT WPT	RW29	1.2	1.7	2	3	4	OAGEF	1	1.1				
ALT (3° APCH PATH)		3540	3700	3800	4120	4430	4840	5160	5200				

TRACK DCT TO OAGEH,
THENCE TRACK 308°. CLIMB TO 6100FT.



CATEGORY	A	B	C	D
LNAV/VNAV		3540 (429-2.4)		NOT APPLICABLE
LNAV		3700 (588-3.3)		
CIRCLING		3810 (698-2.4)	4310 (1198-4.0)	
ALTERNATE		(1198-4.4)	(1698-6.0)	

1. MAX IAS :
HOLDING: 210KT.
INITIAL : 210KT.

ORGGN02-175