

AD ELEV 11
14 53 51S 141 36 39E

AERODROME CHART

PORMPURAAW, QLD (YPMP)

FIA BN CEN 118.2		CTAF+AFRU 126.7		AFRU+PAL 126.7		Bearings are Magnetic Elevations in FEET AMSL	
RWY		AERODROME LIGHTING					
		RL : AFRU+PAL 126.7, SDBY (8 SEC)					
14 145		LIRL					
325 32		LIRL					
NOTES							
1. FIA FREQ 118.2 AVBL AT 8,000FT.							

Changes: RWY 14 THR ELEV, Editorial.



PMPAD01-183

USE QNH

RNP RWY 14

12 JUN 2025

PORMPURAAW, QLD (YPMP)



NOTES

CATEGORY	A	B	C	D
LNAV	550 (539-3.1)			NOT APPLICABLE
CIRCLING *	750 (739-2.4)		850 (839-4.0)	
ALTERNATE	(1239-4.4)		(1339-6.0)	

1. MAX IAS:
INITIAL : 210KT.* 2. NO CIRCLING E
OF RWY 14/32.

Changes: RWY THR ELEV, Editorial.



PMPGN01-183

USE QNH

RNP RWY 32

15 JUN 2023

PORMPURAAW, QLD (YPMP)



NOTES

CATEGORY	A	B	C	D
LNAV	570 (559-3.2)			NOT APPLICABLE
CIRCLING *	750 (739-2.4)		850 (839-4.0)	
ALTERNATE	(1239-4.4)		(1339-6.0)	

1. MAX IAS:
INITIAL : 210KT.*2. NO CIRCLING E
OF RWY 14 /32.

Changes: WPT NAMING CONVENTION, MINIMA, 372FT OBST, GRID COORD FORMAT, Editorial.

PMPGN02-175