

AD ELEV 115
34 11 47S 140 40 26E

AERODROME CHART

RENMARK, SA (YREN)

AWIS 128.35	FIA ML CEN 124.3	CTAF 126.7	PAL 122.3	Bearings are Magnetic Elevations in FEET AMSL
----------------	---------------------	---------------	--------------	--

AERODROME LIGHTING	
RWY	TAXIWAY : BLUE EDGE TWY A RL : PAL 122.3
07 065	LIRL PTBL
245 25	LIRL PTBL
18 176	NIL
356 36	NIL
12	NIL
30	NIL

NOTES
1. AWIS RQ ONE-SECOND PULSE TO ACTIVATE.
2. PTBL LIGHTING FOR EMERG USE ONLY.

Changes: WDI ADDED, Editorial.



RENAD01-179

USE QNH

RNP RWY 07

15 JUN 2023

RENMARK, SA (YREN)



NOTES

CATEGORY	A	B	C	D
LNAV	730 (623-3.5)			NOT APPLICABLE
CIRCLING *	800 (685-2.4)		890 (775-4.0)	
ALTERNATE	(1185-4.4)		(1275-6.0)	

1. MAX IAS:
INITIAL : 230KT.* 2. NO CIRCLING IN
SECTOR SW OF
RWYS 36 AND 07.

Changes: THR ELEV, CHART TITLE, PBN SPECIFICATION BOX, Editorial.



RENGN01-175

USE QNH

RNP RWY 25

15 JUN 2023

RENMARK, SA (YREN)



NOTES

CATEGORY	A	B	C	D
LNAV	720 (605-3.4)			NOT APPLICABLE
CIRCLING *	800 (685-2.4)		890 (775-4.0)	
ALTERNATE	(1185-4.4)		(1275-6.0)	

- MAX IAS:
INITIAL : 230KT.
- NO CIRCLING IN
SECTOR SW OF
RWYS 36 AND 07.

Changes: THR ELEV, CHART TITLE, PBN SPECIFICATION BOX, Editorial.

RENGN02-175