





GNSS ARRIVAL PROCEDURES
SWAN HILL, VIC (YSWH)

30 NOV 2023

FIA ML CEN 125.8	CTAF+AFRU 119.1	PAL 120.6			Bearings are Magnetic Elevations in FEET AMSL
---------------------	--------------------	--------------	--	--	--



25 NM MSA



10 NM MSA 2000


REFERENCE WAYPOINT SWH NDB

AWIS (PHONE) 03 8470 3221



AD ELEV 234

**ALL TRACKS
TO
SWH NDB**



NM TO SWH NDB 25 15 7 5 0

CIRCLING MINIMA				A,B: 970-2.4		C: 1060-4.0		D: N/A							
NM TO SWH NDB	6.2	6	5	4	3.2	3	2.9								
ALT (3° APCH PATH)	2000	1960	1640	1320	1060	1000	970								

MISSED APPROACH:

CLIMB ON TRACK
TO 2000FT.

RNP RWY 26
SWAN HILL, VIC (YSWH)

TR	TURN	TIME	MIN ALT	DME LMT
261°	Right	1	2000	

AD ELEV 234

Bearings are Magnetic
Elevations in FEET AMSL

NM TO NEXT WPT	SW2EM	1.5	2	3	4	SW2EF	0.1						
ALT (3° APCH PATH)		840	1000	1320	1640	1960	2000						

CATEGORY	A	B	C	D
LNAV	840 (606-3.4)			NOT APPLICABLE
CIRCLING	890 (656-2.4)		1060 (826-4.0)	
ALTERNATE	(1156-4.4)		(1326-6.0)	

1. MAX IAS:
INITIAL : 210KT.
2. AWIS (PHONE)
03 8470 3221



SWHGN01-175

USE QNH

NDB-A

17 JUN 2021

SWAN HILL, VIC (YSWH)



NOTES

CATEGORY	A	B	C	D
				NOT APPLICABLE
CIRCLING	890 (656-2.4)		1060 (826-4.0)	
ALTERNATE	(1156-4.4)		(1326-6.0)	

- MAX IAS:
INITIAL : 210KT.
- AWIS (PHONE)
03 8470 3221

Changes: RWY 15/33 DCMSD.

SWHNB01-167