





DME or GNSS ARRIVAL PROCEDURES
WEIPA, QLD (YBWP)



21 MAY 2020



USE QNH

RNP RWY 12
WEIPA, QLD (YBWP)

24 MAR 2022



NOTES

CATEGORY	A	B	C	D
LNAV/VNAV	430 (373-2.1)			
LNAV	590 (533-3.0)			
CIRCLING	740 (677-2.4)		830 (767-4.0)	860 (797-5.0)
ALTERNATE	(1177-4.4)		(1267-6.0)	(1297-7.0)

1. MAX IAS:
INITIAL : 210KT.

Changes: CHART TITLE, PBN SPECIFICATION BOX.



BWPGN01-170

USE QNH

RNP RWY 30

12 JUN 2025

WEIPA, QLD (YBWP)



NOTES

1. MAX IAS:
INITIAL : 210KT.

CATEGORY	A	B	C	D
LNAV/VNAV	430 (367-2.1)			
LNAV	620 (557-3.2)			
CIRCLING	740 (677-2.4)	830 (767-4.0)	860 (797-5.0)	
ALTERNATE	(1177-4.4)	(1267-6.0)	(1297-7.0)	



Changes: YBSG ADDED.

BWPGN02-183

USE QNH

NDB-Z RWY 12
WEIPA, QLD (YBWP)

12 JUN 2025



NOTES

CATEGORY	A	B	C	D
S-I NDB/DME	550 (487-2.7)			
CIRCLING	740 (677-2.4)	830 (767-4.0)	860 (797-5.0)	
ALTERNATE	(1177-4.4)	(1267-6.0)	(1297-7.0)	

1. MAX IAS:
INITIAL : 210KT.

Changes: YBSG ADDED.

BWPNB01-183

NDB-Y RWY 12
WEIPA, QLD (YBWP)

AWIS 128.075

FIA BN CEN 122.1

CTAF+AFRU 126.7

AFRU+PAL 126.7

Bearings are Magnetic Elevations in FEET AMSL

141 40 00E 12 30 00S

141 50 00E 12 30 00S

142 00 00E 12 30 00S

12 40 00S

12 50 00S

141 50 00E 142 00 00E

112

167

105

121

194

233

98

72

283

318

CAT C&D 331.3

CAT A&B 119.9

WP NDB 377

YBSG

5° E

25 NM MSA

1700

WP VOR or NDB

10 NM MSA 1500

Scale 1:500,000

0 5NM

Holding at WP NDB

161°

22°

041°

TR	TURN	TIME	MIN ALT	DME LMT
331°	Left	1	1700	

○ NDB

AD ELEV 63

[illegible]

1. MAX IAS:
INITIAL : 210KT.



CATEGORY	A	B	C	D
S-I NDB	600 (537-3.0)			
CIRCLING	740 (677-2.4)		830 (767-4.0)	860 (797-5.0)
ALTERNATE	(1177-4.4)		(1267-6.0)	(1297-7.0)

BWPNB02-183

USE QNH

 VOR-Z RWY 12
WEIPA, QLD (YBWP)

12 JUN 2025

**NOTES**



CATEGORY	A	B	C	D
S-I VOR/DME	610 (547-3.0)			
CIRCLING	740 (677-2.4)	830 (767-4.0)	860 (797-5.0)	
ALTERNATE	(1177-4.4)	(1267-6.0)	(1297-7.0)	

- MAX IAS:
INITIAL : 210KT.
- CAUTION:
PROC IN CLOSE PROXIMITY OF YBSG PROCS.

Changes: NOTE 2 ADDED, YBSG ADDED, Editorial.

BWPVO01-183

USE QNH

 VOR-Z RWY 30
WEIPA, QLD (YBWP)
12 JUN 2025**NOTES**

CATEGORY	A	B	C	D
S-I VOR/DME	610 (547-3.0)			
CIRCLING	740 (677-2.4)	830 (767-4.0)	860 (797-5.0)	
ALTERNATE	(1177-4.4)	(1267-6.0)	(1297-7.0)	

 1. MAX IAS:
 INITIAL : 210KT.



Changes: YBSG ADDED.

BWPVO02-183

USE QNH

VOR-Y RWY 12
WEIPA, QLD (YBWP)

12 JUN 2025



NOTES

CATEGORY	A	B	C	D
S-I VOR	660 (597-3.3)			
CIRCLING	740 (677-2.4)	830 (767-4.0)	860 (797-5.0)	
ALTERNATE	(1177-4.4)	(1267-6.0)	(1297-7.0)	

1. MAX IAS:
INITIAL : 210KT.

Changes: YBSG ADDED.

BWPVO03-183

VOR-Y RWY 30
WEIPA, QLD (YBWP)

Chart Information:

- Stations and Elevations (Feet AMSL):**
 - AWIS: 128.075
 - FIA: BN CEN 122.1
 - CTAF+AFRU: 126.7
 - AFRU+PAL: 126.7
- Chart Features:**
 - WP VOR 112.8:** Main station, 112.8 MHz.
 - WP VOR or NDB:** 1700 ft MSA, 10 NM MSA 1500.
 - CAT A/B:** 121, 144, 158.
 - CAT C/D:** 121, 144, 158.
 - YBSG:** 167, 105, 194, 233.
 - Other Points:** 318, 283, 98, 194, 233.
 - Scale:** 1:500,000, 5 NM.
 - Compass:** 5° E.
- Holding at WP VOR:**

TR	IN	TURN	TIME	MIN ALT	DME LMT
158°	Left	1	1700		
- AD ELEV 63**

[illegible]

1. MAX IAS:
INITIAL : 210KT.

CATEGORY	A	B	C	D
S-I VOR	740 (677-3.8)			
CIRCLING	740 (677-2.4)		830 (767-4.0)	860 (797-5.0)
ALTERNATE	(1177-4.4)		(1267-6.0)	(1297-7.0)

BWPVO04-183