


13 JUN 2024

AD ELEV 1652
26 37 45S 120 13 14E

AERODROME CHART
WILUNA, WA (YWLU)




Changes: NOTE 2 REMOVED, Editorial.

WLUD01-179

GNSS ARRIVAL PROCEDURES
WILUNA, WA (YWLU)



20 MAR 2025



USE QNH

RNP RWY 15
WILUNA, WA (YWLU)

20 MAR 2025



NOTES

CATEGORY	A	B	C	D
LNAV	2250 (598-3.4)			NOT APPLICABLE
CIRCLING	2290 (638-2.4)		2450 (798-4.0)	
ALTERNATE	(1138-4.4)		(1298-6.0)	

- MAX IAS:
INITIAL : 210KT.
HOLDING : 190KT.
- AWIS (PHONE):
08 6216 2641

Changes: MSA.

WLUGN01-182

RNP RWY 33
WILUNA, WA (YWLU)

FIA
ML CEN 118.95

CTAF
127.2

PAL
119.6

RNP APCH


Holding at WL2SB

TR IN	TURN	TIME	MIN ALT	DME LMT
326°	Left	1	3400	

AD ELEV 1652
Bearings are Magnetic
Elevations in FEET AMSL

NM TO NEXT WPT	WL2SM	1.5	2	3	4	WL2SF	0.1							
ALT (3° APCH PATH)		2250	2400	2720	3040	3350	3400							

TRACK DCT TO WL2SH,
THEN TRACK 326°.
CLIMB TO 3400ft.



CATEGORY	A	B	C	D
LNAV	2250 (624-3.5)			NOT APPLICABLE
CIRCLING	2290 (638-2.4)		2450 (798-4.0)	
ALTERNATE	(1138-4.4)		(1298-6.0)	

1. MAX IAS:
INITIAL : 210KT.
2. AWIS (PHONE):
08 6216 2641

WLUGN02-182

NDB RWY 33
WILUNA, WA (YWLU)

WLU NDB 383

AD ELEV 1652

25 NM MSA
 B-215° 3600
 B-245° 3400

10 NM MSA 3300

Scale 1:500,000
 0 5NM

Holding at WLU NDB

TR	INTURN	TIME	MIN ALT	DME LMT
119°	Left	1	3400	

Bearings are Magnetic Elevations in FEET AMSL

119° **137°** **331°**

CAT C
CAT A&B

WLU NDB 383

1985
1831

120 00 00E **120 10 00E** **120 20 00E**

26 30 00S **26 40 00S** **26 50 00S**


1°E

009° **189°** **299°**

NDB

[illegible]

TRACK 331°. CLIMB TO 3400ft.



NOTES

CATEGORY	A	B	C	D
S-I NDB	2250 (624-3.5)			NOT APPLICABLE
CIRCLING	2290 (638-2.4)		2450 (798-4.0)	
ALTERNATE	(1138-4.4)		(1298-6.0)	

1. MAX IAS:
INITIAL :
CAT C 210KT.
2. AWIS (PHONE):
08 6216 2641

WLUNB01-182