




GNSS ARRIVAL PROCEDURES WYNYARD, TAS (YWYY) Page 1

19 MAR 2026

AWIS 133.35	FIA ML CEN 122.6	CTAF+AFRU 126.9	AFRU+PAL 126.9		Bearings are Magnetic Elevations in FEET AMSL
----------------	---------------------	--------------------	-------------------	--	--

25 NM MSA

3100

WYY NDB

B-079° B-264°

5600

REFERENCE WAYPOINT WYY NDB

* NO CIRCLING SOUTH OF
RWY 09 / 27 & RWY 05 / 23.

AD ELEV 63

10 NM MSA 3100

KII TO WYY

3000
114°
WYY NDB

NDB

3000 2100 1500 1910 3100

3° 070°

MDA MAPt

MISSED APPROACH:

TURN LEFT,
TRACK 070°.
CLIMB TO 3100ft.

NM TO WYY NDB	KII	15	9	5	0										
CIRCLING MINIMA					A,B: 1180-2.4		C: 1270-4.0		D: N/A						
NM TO WYY NDB	8.4	8	7	6	5	4	3	2.7							
ALT (3° APCH PATH)	3000	2870	2550	2230	1910	1600	1270	1180							

IRSOM TO WYY

3700
274°
WYY NDB

NDB

3700 2000 1500 1960 3100

3° 340°

MDA MAPt

MISSED APPROACH:

TURN RIGHT,
TRACK 340°.
CLIMB TO 3100ft.

NM TO WYY NDB	IRSOM	15	9	5	0										
CIRCLING MINIMA					A,B: 1210-2.4		C: 1270-4.0		D: N/A						
NM TO WYY NDB	10.5	10	9	8	7	6	5	4	3	2.8	2.7				
ALT (3° APCH PATH)	3700	3550	3230	2910	2590	2270	1960	1640	1320	1270	1210				

SECTOR A

154° 189°
WYY NDB

NDB

3000 1700 1300 1910 3100

3° 030°

MDA MAPt

MISSED APPROACH:

TURN LEFT,
TRACK 030°.
CLIMB TO 3100ft.


NM TO WYY NDB	25	15	10	5	0										
CIRCLING MINIMA					A,B: 1180-2.4		C: 1270-4.0		D: N/A						
NM TO WYY NDB	8.4	8	7	6	5	4	3	2.7							
ALT (3° APCH PATH)	3000	2870	2550	2230	1910	1600	1270	1180							

Changes: KII TO WYY TR, SECTOR A TR, MSA BRG.

WYYDG01-186

GNSS ARRIVAL PROCEDURES
WYNYARD, TAS (WYYY) Page 2

19 MAR 2026



Changes: MSA BRG.



WYYDG02-186

USE QNH

RNP RWY 09

19 MAR 2026

WYNYARD, TAS (YWYY)



NOTES

CATEGORY	A	B	C	D
LNAV/VNAV		530 (468-2.6)		NOT APPLICABLE
LNAV		760 (697-4.0)		
CIRCLING*	1170 (1107-2.4)		1270 (1207-4.0)	
ALTERNATE	(1607-4.4)		(1707-6.0)	

1. MAX IAS:
INITIAL : 210KT.
- *2. NO CIRCLING SOUTH
OF RWY 09 / 27 &
RWY 05 / 23.



Changes: MSA BRG, VAR, OBST, Editorial.

WYYGN01-186

USE QNH

RNP RWY 27
WYNYARD, TAS (YWYY)

19 MAR 2026



NOTES

CATEGORY	A	B	C	D
LNAV	630 (598-3.4)			NOT APPLICABLE
CIRCLING *	1170 (1107-2.4)		1270(1207-4.0)	
ALTERNATE	(1607-4.4)		(1707-6.0)	

- MAX IAS:
INITIAL : 210KT.
HOLD : 210KT.
- NO CIRCLING SOUTH OF RWY 09 / 27 & RWY 05 / 23.



Changes: MSA BRG, VAR, OBST, Editorial.

WYYGN02-186

USE QNH

NDB RWY 27
WYNYARD, TAS (YWYY)

19 MAR 2026

**NOTES**

CATEGORY	A	B	C	D
S-I NDB	980 (948-5.0)			NOT APPLICABLE
CIRCLING*	1170 (1107-2.4)		1270(1207-4.0)	
ALTERNATE	(1607-4.4)		(1707-6.0)	

- MAX IAS:
INITIAL :
CAT C 210KT.
- * NO CIRCLING SOUTH
OF RWY 09 / 27
& RWY 05 / 23.

Changes: REVISED PROC.

WYYNB03-186