






USE QNH

RNP RWY 17

BENDIGO, VIC (YBDG)**23 MAR 2023****NOTES**

- MAX IAS:
INITIAL : 210KTS
*2.NO CIRCLING WEST
OF RWY 17/35

CATEGORY	A	B	C	D
LNAV/VNAV	990 (299 - 1.6)			NOT APPLICABLE
LNAV	1190 (499 - 2.8)			
CIRCLING*	1460 (750 - 2.4)		1790 (1080 - 4.0)	
ALTERNATE	(1250 - 4.4)		(1580 - 6.0)	

Changes: CHART TITLE, Editorial

BDGGN01-174



RNP RWY 35
BENDIGO, VIC (YBDG)

RNP APCH
LNAV/VNAV RQMNTS:

- LOCAL QNH RQ
- LOCAL TEMP RQ
- PROC TEMP RANGE -10°C to +60°C

Holding at BX2SB

TR	TURN	TIME	MIN ALT	DME LMT
351°	Right	1	4100	

***NO CIRCLING**

AD ELEV 710

Bearings are Magnetic Elevations in FEET AMSL

NM TO NEXT WPT	RW35	1.3	2	2.5	3	4	5	BX2SF	1	2	3	4	4.5	
ALT (3° APCH PATH)		1170	1410	1560	1720	2030	2350	2670	2990	3310	3630	3940	4100	

MISSED APPROACH:
 TRACK DCT TO BX2SH,
 THENCE TRACK 351°,
 CLIMB TO 2400FT.

MAHF BX2SH MAPt RW35 FAF BX2SF IF BX2SI IAF

351° 351° 351° 3°

1560 2670 3940 4100

1500 2500 3900

4.5 NM to SF

TCH 50 FT
THR 35 ELEV 710

MAPt MDA

NM FM MAPt

BX2SA
BX2SB
BX2SC

1. MAX IAS:
INITIAL : 210KTS
- *2. NO CIRCLING WEST
OF RWY 17/35

CATEGORY	A	B	C	D
LNAV/VNAV	1170 (460 - 2.6)			NOT APPLICABLE
LNAV	1420 (710 - 4.0)			
CIRCLING*	1460 (750 - 2.4)		1790 (1080 - 4.0)	
ALTERNATE	(1250 - 4.4)		(1580 - 6.0)	

BDGGN02-174