




RNP RWY 09
FORBES, NSW (YFBS)

FIA ML CEN 135.25

CTAF 126.7

PAL 122.4

RNP APCH

Holding at FB2WB

TR IN TURN	TIME	MIN ALT	DME LMT
088° Right	1	3000	

AD ELEV 760

Bearings are Magnetic
Elevations in FEET AMSL

Scale 1:500,000

5NM

0

10 NM MSA 2600

25 NM MSA

3000

3700

YFBS ARP

B-180°

B-360°

11° E

147 40 00E

147 50 00E

148 00 00E

33 10 00S

33 20 00S

33 30 00S

1090

1362

1231

1017

1264

1296

1296

903

088° 5NM

018° 5NM

088° 5NM

088° 5NM

088° 2NM

4NM

198°

268°

016°

240°

NM TO NEXT WPT	1.9	1	FB2WF	4	3	2	1.4	RW09						
ALT (3° APCH PATH)	3000	2720	2400	2080	1760	1440	1250							

MISSED APPROACH:
 TRACK DCT TO FB2WH
 THEN TURN RIGHT
 TRACK 240°
 CLIMB TO 3000ft

IAF IF FB2WI FAF FB2WF MAPt RW09 MAHF FB2WH

3000 2600 2200 2400 1440 1250

088° 3° 088° 240°

FB2WA FB2WB FB2WC

MDA

THR 09 ELEV 757

NM TO RW09 15 10 5 2 0 4

1. AWIS (PHONE)
02 9353 6420



CATEGORY	A	B	C	D
LNAV	1250	(490-2.8)	NOT APPLICABLE	
CIRCLING	1520	(760-2.4)		
ALTERNATE		(1260-4.4)		

FBSGN01-178

USE QNH

RNP RWY 27
FORBES, NSW (YFBS)

21 MAR 2024



CATEGORY	A	B	C	D
LNAV	1390 (630-3.6)		NOT APPLICABLE	
CIRCLING	1520 (760-2.4)			
ALTERNATE	(1260-4.4)			

- NOTES**
- MAX IAS:
FB2EJ : 170KT
 - AWIS (PHONE)
02 9353 6420

Changes: RIGHT INITIAL, NEW WPT, WPT NAMING CONVENTION, SPEED RESTRICTION, Editorial.

FBSGN02-178