





GNSS ARRIVAL PROCEDURES
FORREST, WA (YFRT)



25 MAY 2017



USE QNH

RNP RWY 18
FORREST, WA (YFRT)

30 NOV 2023



NOTES

CATEGORY	A	B	C	D
LNAV/VNAV	890 (382-2.1)			
LNAV	1070 (559-3.2)			
CIRCLING	1210 (699-2.4)	1310 (799-4.0)	1310 (799-5.0)	
ALTERNATE	(1199-4.4)	(1299-6.0)	(1299-7.0)	

1. MAX IAS:
INITIAL : 210KT.

Changes: LNAV/VNAV MINIMA, THR ELEV.

FRTGN01-177

RNP RWY 27
FORREST, WA (YFRT)

RNP APCH LNAV/VNAV RQMNNTS:

- YFRT QNH RQ
- YFRT TEMP RQ
- PROC TEMP RANGE -5°C TO +60°C


Holding at FRTEB

TR	IN	TURN	TIME	MIN ALT	DME LMT
270°	Right	1	2300		

AD ELEV 511
Bearings are Magnetic
Elevations in FEET AMSL

NM TO NEXT WPT	FRTEM	0.8	1	1.4	2	3	4	FRTEF	0.2				
ALT (3° APCH PATH)		890	960	1070	1280	1600	1910	2230	2300				

TRACK DCT TO FRTEH,
THEN TRACK 270°.
CLIMB TO 2000FT.



CATEGORY	A	B	C	D
LNAV/VNAV		890	(386-2.2)	
LNAV		1070	(559-3.2)	
CIRCLING	1210	(699-2.4)	1310	(799-4.0)
ALTERNATE		(1199-4.4)	(1299-6.0)	(1299-7.0)



Changes: LNAV/VNAV, LNAV MINIMA, THR ELEV.

FRTGN02-177

USE QNH

NDB RWY 18
FORREST, WA (YFRT)

30 NOV 2023

**NOTES**

1. MAX IAS:
INITIAL :
CAT C&D : 210KT.

CATEGORY	A	B	C	D
S-I NDB	1180 (669-3.8)			
CIRCLING	1210 (699-2.4)	1310 (799-4.0)	1310 (799-5.0)	
ALTERNATE	(1199-4.4)	(1299-6.0)	(1299-7.0)	

Changes: THR ELEV.

FRTNB01-177