








GNSS ARRIVAL PROCEDURES GRAFTON, NSW (YGFN) Page 1

25 MAR 2021




Changes: Editorial.

GFNDG01-166

GNSS ARRIVAL PROCEDURES GRAFTON, NSW (YGFN) Page 2

25 MAR 2021





USE QNH

RNP RWY 18

2 DEC 2021

GRAFTON, NSW (YGFN)



NOTES

CATEGORY	A	B	C	D
LNAV/VNAV	400 (337-1.9)			NOT APPLICABLE
LNAV	600 (537-3.0)			
CIRCLING	780 (670-2.4)		940 (830-4.0)	
ALTERNATE	(1170-4.4)		(1330-6.0)	

- MAX IAS:
HOLDING: 210KT.
INITIAL : 210KT.
- HOLDING OVERLAYS
PROC AT YXMA.
PRESCRIBED MINIMUM
ALTITUDE ENSURES
SEPARATION

Changes: CHART TITLE, PBN SPECIFICATION BOX.

GFNGN01-169

NDB RWY 18
GRAFTON, NSW (YGFN)

AWIS
126.225

FIA
BN CEN 122.6

CTAF+AFR
126.7

AFRU+PAL
126.7

Holding at NDB

TR IN TURN TIME MIN ALT DME LMT


335° Right 1 2500

NDB O

AD ELEV 110

[illegible]

TRACK 179°. CLIMB TO 2500FT. AT 1500FT TURN RIGHT. TRACK TO GFN NDB.



1. MAX IAS:
HOLDING: 210KT.
INITIAL:
CAT A&B 140KT.
CAT C 210KT.
MAP TURN: 210KT.

CATEGORY	A	B	C	D
S-I NDB	710 (647-3.7)			NOT APPLICABLE
CIRCLING	780 (670-2.4)		940 (830-4.0)	
ALTERNATE	(1170-4.4)		(1330-6.0)	

GFNNB01-166