





DME or GNSS ARRIVAL PROCEDURES
GROOTE EYLANDT, NT (YGTE)

15 AUG 2019





USE QNH

RNP RWY 10

27 NOV 2025

GROOTE EYLANDT, NT (YGTE)



NOTES

CATEGORY	A	B	C	D
LNAV/VNAV	360 (331-1.8)			NOT APPLICABLE
LNAV	560 (531-3.0)			
CIRCLING	910 (857-2.4)	1070(1017-4.0)		
ALTERNATE	(1357-4.4)		(1517-6.0)	

 1. MAX IAS:
 INITIAL : 210KT.

Changes: MINIMA, TWR removed.



GTEGN01-185

USE QNH

RNP RWY 28

27 NOV 2025

GROOTE EYLANDT, NT (YGTE)



NOTES

CATEGORY	A	B	C	D
LNAV/VNAV	600 (549-3.1)			NOT APPLICABLE
LNAV	860 (807-4.6)			
CIRCLING	910 (857-2.4)		1070(1017-4.0)	
ALTERNATE	(1357-4.4)		(1517-6.0)	


 1. MAX IAS:
 INITIAL : 210KT.

Changes: TWR removed.

GTEGN02-185

NDB RWY 10
GROOTE EYLANDT, NT (YGTE)

GROOTE EYLANDT, NT (YGTE)



DIST TO GTE DME	6.1	6	5	4	3	2.1	2						
ALT (3° APCH PATH)	1900	1870	1550	1230	910	650	600						

GNSS permitted in lieu of DME
Reference waypoint GTE NDB

MISSED APPROACH:
TRACK 105°
CLIMB TO 1900ft

NM TO GTE DME

10 5 0

1900 1300 1300(NDB) 1550 1900

3° 299° (2½ MIN) 316° (1½ MIN)

CAT A&B CAT C

GTE NDB/DME

MAPt

MDA

THR 10 ELEV 29

105° 105°

1. MAX IAS:
INITIAL : 210KT.

CATEGORY	A	B	C	D
S-I NDB/DME	600 (571-3.2)			NOT APPLICABLE
S-I NDB	650 (621-3.5)			
CIRCLING	910 (857-2.4)		1070 (1017-4.0)	
ALTERNATE	(1357-4.4)		(1517-6.0)	

GTENB01-185