

AERODROME CHART

GRUYERE, WA (YGRM)

AWIS 133.45	FIA ML CEN 118.4	CTAF+AFRU 125.85	AFRU+PAL 125.85	Bearings are Magnetic Elevations in FEET AMSL
------------------------------	-----------------------------------	-----------------------------------	----------------------------------	--

123 48 00E
123 49 00E
123 50 00E

123 48 00E
123 49 00E
123 50 00E



AERODROME LIGHTING	
RWY	RL : AFRU+PAL 125.85 , SDBY (MANUAL 15 MIN SWITCHOVER. ARO 0427 389 326)
06 063	PAPI 3.0° 48.5FT LIRL
243 24	PAPI 3.0° 48.5FT LIRL
NOTES 1. FIA ML CEN 118.4 NOT AVBL ON GROUND. 2. AWIS RQ THREE ONE-SECOND PULSES TO ACTIVATE.	

GRMAD01-184

9 JUL 2026

USE QNH

RNP RWY 06
GRUYERE, WA (YGRM)



CATEGORY	A	B	C	D
LNAV	2030 (497-2.8)			NOT AUTHORISED
CIRCLING *	2140 (598-2.4)		2240 (698-4.0)	
ALTERNATE	(1098-4.4)		(1198-6.0)	



- *1. NO CIRCLING NORTH OF RWY06/24.
2. PROCEDURE OVERLIES YAMARNA AD.
3. PROC NOT AVBL WHEN R222K IS ACTIVE VIA NOTAM.

Changes: R222K, NOTES ADDED

GRMG01-187

9 JUL 2026

USE QNH

RNP RWY 24
GRUYERE, WA (YGRM)**NOTES**

- *1. NO CIRCLING NORTH OF RWY 06/24.
- *2. PROC NOT AVBL WHEN R222K IS ACTIVE VIA NOTAM.
- *3. INITIAL APP AND HOLDING AT GR2EE NOT AVBL WHEN R222L IS ACTIVE VIA NOTAM.

CATEGORY	A	B	C	D
LNAV	2020 (491-2.8)			NOT AUTHORISED
CIRCLING *	2140 (598-2.4)		2240 (698-4.0)	
ALTERNATE	(1098-4.4)		(1198-6.0)	

Changes: R222K, R222L, NOTES ADDED.

GRMGNO2-187