


5 SEP 2024

AD ELEV 1346
18 14 02S 127 40 11E


AERODROME CHART
HALLS CREEK, WA (YHLC)



GNSS ARRIVAL PROCEDURES HALLS CREEK, WA (YHLC)

15 AUG 2019

FIA BN CEN 118.2	CTAF+AFRU 126.7	AFRU+PAL 126.7			Bearings are Magnetic Elevations in FEET AMSL
---------------------	--------------------	-------------------	--	--	--



25 NM MSA

3400

HLC
NDB


10 NM MSA 3400

REFERENCE WAYPOINT HLC NDB

AWIS (PHONE) 08 6216 2617





HLC NDB 245



AD ELEV 1346

SECTOR A







MISSED APPROACH:
TURN AS APPROPRIATE,
TRACK 096°. CLIMB TO 3400FT.

NM TO HLC NDB	25	22	15	5	0												
CIRCLING MINIMA						A,B: 2350-2.4		C: 2450-4.0		D: N/A							
NM TO HLC NDB	6	5	4	3	2.7												
ALT (3° APCH PATH)	3400	3100	2780	2460	2350												

SECTOR B







MISSED APPROACH:
TURN AS APPROPRIATE,
TRACK 270°. CLIMB TO 3400FT.

NM TO HLC NDB	25	15	10	7	5	0										
CIRCLING MINIMA						A,B: 2360-2.4		C: 2450-4.0		D: N/A						
NM TO HLC NDB	5.6	5	4	3	2.7											
ALT (3° APCH PATH)	3400	3110	2790	2470	2360											

SECTOR C





MISSED APPROACH:
TURN RIGHT,
TRACK 096°. CLIMB TO 3400FT.

NM TO HLC NDB	25	15	11	8	5	4	0										
CIRCLING MINIMA						A,B: 2350-2.4		C: 2450-4.0		D: N/A							
NM TO HLC NDB	6	5	4	3	2.7												
ALT (3° APCH PATH)	3400	3100	2780	2460	2350												

Changes: AWIS PHONE, Editorial.



HLCDG01-160

USE QNH

RNP RWY 04

HALLS CREEK, WA (YHLC)

20 MAR 2025



NOTES

CATEGORY	A	B	C	D
LNAV	1940 (594-3.4)			NOT APPLICABLE
CIRCLING	2350 (1004-2.4)		2450 (1104-4.0)	
ALTERNATE	(1504-4.4)		(1604-6.0)	

- MAX IAS:
INITIAL : 210KT.
- AWIS (PHONE)
08 6216 2617



Changes: Editorial.

HLCGN01-182

USE QNH

RNP RWY 22
HALLS CREEK, WA (YHLC)

20 MAR 2025



NOTES

CATEGORY	A	B	C	D
LNAV	1980 (650-3.7)			NOT APPLICABLE
CIRCLING	2350 (1004-2.4)		2450 (1054-4.0)	
ALTERNATE	(1504-4.4)		(1604-6.0)	

- MAX IAS:
INITIAL : 210KT.
- AWIS (PHONE)
08 6216 2617

Changes: Editorial.

HLCGN02-182

NDB RWY 04
HALLS CREEK, WA (YHLC)

FIA BN CEN 118.2 **CTAF+AFRU 126.7** **AFRU+PAL 126.7**

HLC NDB 245

250° **046°**

CAT C **CAT A&B**

250° **240°**

25 NM MSA 3400

10 NM MSA 3400

HLC NDB


Scale 1:500,000

5NM

AD ELEV 1346

TR	TURN	TIME	MIN ALT	DME LMT
250°	Left	1	3400	

DME DIST												
ALT					NOT APPLICABLE							



CATEGORY	A	B	C	D
S-I NDB	2220 (874-5.0)			NOT APPLICABLE
CIRCLING	2350 (1004-2.4)		2450 (1104-4.0)	
ALTERNATE	(1504-4.4)		(1604-6.0)	



1. MAX IAS:
INITIAL :
CAT A&B 140KT.
CAT C 210KT.
2. AWIS (PHONE)
08 6216 2617

HLCNB01-182

USE QNH

NDB RWY 22
HALLS CREEK, WA (YHLC)

20 MAR 2025



NOTES

CATEGORY	A	B	C	D
S-I NDB	2350 (1020-5.0)			NOT APPLICABLE
CIRCLING	2350 (1004-2.4)		2450(1104-4.0)	
ALTERNATE	(1504-4.4)		(1604-6.0)	

- MAX IAS:
INITIAL :
CAT A&B 130KT.
CAT C 190KT.
- AWIS (PHONE)
08 6216 2617

Changes: Editorial.

HLCNB02-182