




RWY	AERODROME LIGHTING	
	TAXIWAY : BLUE EDGE RL : PAL+AA 122.8, SDBY (15 SEC), PTBL (BY PRIOR ARRANGMENT)	
11 108	PAPI 3.0° 53FT LIRL PTBL	
288 29	PAPI 3.0° 53FT LIRL PTBL	

NOTES



1. FIA FREQ 124.6 AVBL 500FT.
2. PAL RQ THREE ONE-SEC PULSES TO ACTIVATE.

USE QNH

RNP RWY 11

12 JUN 2025

HERVEY BAY, QLD (YHBA)



CATEGORY	A	B	C	D
LNAV/VNAV	480 (425-2.4)			NOT APPLICABLE
LNAV	710 (650-3.7)			
CIRCLING	800 (740-2.4)	900 (840-4.0)		
ALTERNATE	(1240-4.4)		(1340-6.0)	

1. MAX IAS:
INITIAL : 210KT.

Changes: PAL+AA, Editorial.

HBAGN01-183

RNP RWY 29
HERVEY BAY, QLD (YHBA)

AWIS 134.9 **FIA 134.9** **CTAF+AFRU 126.55** **PAL+AA 122.8**

RNP APCH
LNAV/VNAV RQMNTS:
 • YHBA QNH RQ
 • YHBA TEMP RQ
 • PROC TEMP RANGE
 -5°C to +61°C


Holding at HV2EB

TR IN	TURN	TIME	MIN ALT	DME LMT
288°	Left	1	2100	

AD ELEV 60
 Bearings are Magnetic
 Elevations in FEET AMSL

NM TO NEXT WPT	RW29	0.8	1.3	2	3	4	HV2EF	1						
ALT (3° APCH PATH)		340	530	740	1060	1370	1780	2100						

TRACK DCT TO HV2EH,
TURN RIGHT TRACK 086°.
CLIMB TO 2100ft.



CATEGORY	A	B	C	D	
LNAV/VNAV	340 (289-1.6)			NOT APPLICABLE	
LNAV	530 (479-2.7)				
CIRCLING	800 (740-2.4)		900 (840-4.0)		
ALTERNATE	(1240-4.4)		(1340-6.0)		

Changes: PAL+AA, Editorial.

HBAGN02-183