


19 MAR 2026

AD ELEV 255  
S35 45 05 E143 56 22

AERODROME CHART  
**KERANG, VIC (YKER)**



RNP RWY 32  
**KERANG, VIC (YKER)**

**FIA**  
**ML CEN 125.8**

**CTAF + AFRU**  
**126.7**

**PAL**  
**123.4**

**RNP APCH**

**Holding at KE25B**

136°  
206°  
028°

| TR   | TURN | TIME | MIN ALT | DME LMT |
|------|------|------|---------|---------|
| 318° | Left | 1    | 2000    |         |

**AD ELEV 255**  
Bearings are Magnetic  
Elevations in FEET AMSL

143 40 00E  
143 50 00E  
144 00 00E  
144 10 00E

35 40 00S  
35 50 00S  
36 00 00S

634  
745  
725

25 NM MSA  
2000  
YKER ARP  
10 NM MSA 1800

0 5NM  
Scale 1:500,000

143 50 00E  
144 00 00E  
144 10 00E

318°  
4NM  
KE2SH  
438  
423  
RW32  
473  
318°  
4NM  
KE2SF  
318°  
4NM  
KE2SI  
248°  
4NM  
712  
028°  
4NM  
KE2SC  
725  
318°  
4NM  
KE2SB

|                    |      |     |     |      |       |      |      |  |  |  |  |  |
|--------------------|------|-----|-----|------|-------|------|------|--|--|--|--|--|
| NM TO NEXT WPT     | RW32 | 1.5 | 2   | 3    | KE2SF | 1    | 1.3  |  |  |  |  |  |
| ALT (3° APCH PATH) |      | 780 | 940 | 1260 | 1580  | 1900 | 2000 |  |  |  |  |  |

**MISSED APPROACH:**  
 TRACK DCT TO KE2SH,  
 THENCE TRACK 318°,  
 CLIMB TO 2000FT.

MAHF KE2SH

MAPt RW32

FAF KE2SF

IF KE2SI

IAF

2000

1580

318°

318°

1500

1700

MDA

THR 32 ELEV 255

1.3 NM to SF

KE2SA  
KE2SB  
KE2SC

NM FM MAPt

4 0 4 8 12



| CATEGORY  | A               | B | C              | D |
|-----------|-----------------|---|----------------|---|
| LNAV      | 780 (525 - 3.0) |   | NOT APPLICABLE |   |
|           |                 |   |                |   |
| CIRCLING  | 870 (615 - 2.4) |   |                |   |
| ALTERNATE | (1115 - 4.4)    |   |                |   |

KERGN01-188

USE QNH

RNP RWY 14  
KERANG, VIC (YKER)

27 NOV 2025



| CATEGORY  | A               | B | C              | D |
|-----------|-----------------|---|----------------|---|
| LNAV      | 790 (535 - 3.0) |   | NOT APPLICABLE |   |
|           |                 |   |                |   |
| CIRCLING  | 870 (615 - 2.4) |   |                |   |
| ALTERNATE | (1115 - 4.4)    |   |                |   |

Changes: VAR

KERGN02-185

