


24 MAR 2022

AD ELEV 19
22 14 08S 114 05 19E

AERODROME CHART - Page 1
LEARMONTH, WA (YPLM)



Changes: TWY LABELS.

PLMAD01-170

27 NOV 2025

AD ELEV 19
22 14 08S 114 05 19E

AERODROME CHART - Page 2
LEARMONTH, WA (YPLM)

FIA ML CEN 125.9	APP 120.5 261.4	TWR 118.3 257.8	SMC 259.3	CTAF+AFRU 118.3	AFRU+PAL 118.3*	Bearings are Magnetic Elevations in FEET AMSL
---------------------	--------------------	--------------------	--------------	--------------------	--------------------	--

--

RWY	AERODROME LIGHTING	
	TAXIWAY : GREEN CENTRELINE RL : AFRU+PAL 118.3*, SDBY (POSS 60 - 120 SEC) (ARO: 08 9949 1326, AH 0407 494 419)	
18 184 004 36	PAPI 3.0° 50FT HIRL HIAL - CAT I PAPI 3.0° 50FT HIRL	


NOTES

- * 1. LIGHTING CIVIL OPS 60 MIN PN WITH REPORTING AGENT.
- 2. AWIS (PHONE) 08 6216 2623.



30 NOV 2023

APRON CHART
LEARMONTH, WA (YPLM)



PARKING POSITION INFORMATION




STAND	CO-ORDINATES	ELEV (ft)	CAPACITY	HYDRANT FUEL
1	22 14 23.88S 114 05 36.17E	15	A320	JET A1
2	22 14 22.14S 114 05 36.49E	15	B712	JET A1
3	22 14 20.03S 114 05 36.64E	15	A320	JET A1

Changes: HELIPAD AND APN, Editorial.

DME or GNSS ARRIVAL PROCEDURES LEARMONTH, WA (YPLM)

5 SEP 2024

FIA ML CEN 125.9	APP 120.5 261.4	TWR 118.3 257.8	SMC 259.3	CTAF+AFRU 118.3	AFRU+PAL 118.3	Bearings are Magnetic Elevations in FEET AMSL
---------------------	--------------------	--------------------	--------------	--------------------	-------------------	--



Changes: FROM SUP H62/24.

PLMDG01-180


RNP RWY 18
LEARMONTH, WA (YPLM)

AD ELEV 19
Bearings are Magnetic
Elevations in FEET AMSL

TR	IN	TURN	TIME	MIN ALT	DME LMT
254°	Left	1	2300		

NM TO NEXT WPT	RW18	1.5	2	3	4	PLMNF	1	1.8						
ALT (3° APCH PATH)		550	700	1020	1340	1740	2060	2300						

TRACK DCT TO PLMNH.
THEN TURN LEFT,
TRACK 025°.
CLIMB TO 2300ft.



1. MAX IAS:
INITIAL : 210KT.
HOLDING : 200KT.
- * 2. NO CIRCLING WEST
OF RWY 18/36.
3. AWIS (PHONE)
08 6216 2623
4. R125 A/B LOCATED
005° MAG/20.7NM
REF YPLM ARP

CATEGORY	A	B	C	D
LNAV	550 (531-2.1)			
CIRCLING *	660 (641-2.4)	760 (741-4.0)		810 (791-5.0)
ALTERNATE	(1141-4.4)	(1241-6.0)		(1291-7.0)



PLMGN01-180

USE QNH

RNP RWY 36

30 NOV 2023

LEARMONTH, WA (YPLM)



NOTES

CATEGORY	A	B	C	D
LNAV	550 (531-3.0)			
CIRCLING*	660 (641-2.4)	760 (741-4.0)	810 (791-5.0)	
ALTERNATE	(1141-4.4)	(1241-6.0)	(1291-7.0)	

- MAX IAS:
INITIAL : 210KT.
- NO CIRCLING WEST OF RWY 18/36.
- AWIS (PHONE)
08 6216 2623



Changes: CHART TITLE, PBN SPECIFICATION BOX, Editorial.

PLMGN02-177

USE QNH

VOR RWY 18
LEARMONTH, WA (YPLM)

21 MAR 2024



NOTES

CATEGORY	A	B	C	D
S-I VOR/DME	550 (531-3.0)			
CIRCLING *	660 (641-2.4)	760 (741-4.0)	810 (791-5.0)	
ALTERNATE	(1141-4.4)	(1241-6.0)	(1291-7.0)	

- MAX IAS:
INITIAL : 210KT.
HOLDING : 210KT.
- * NO CIRCLING WEST OF RWY 18/36.
- AWIS (PHONE)
08 6216 2623

Changes: YEXM ALA, Editorial.


PLMVO01-178

VOR RWY 36
LEARMONTH, WA (YPLM)

FIA	ML CEN	125.9	APP	120.5	261.4	TWR	118.3	257.8	SMC	259.3	CTAF+AFRU	118.3	AFRU+PAL	118.3
-----	--------	-------	-----	-------	-------	-----	-------	-------	-----	-------	-----------	-------	----------	-------

TR IN	TURN	TIME	MIN ALT	DME LMT
166°	Left	1	2300	

AD ELEV 19
Bearings are Magnetic
Elevations in FEET AMSL

[illegible]

NOTES

1. MAX IAS:
INITIAL : 210KT.
HOLDING: 210KT.
- * 2. NO CIRCLING WEST
OF RWY 18/36.
- **3. WESTERN ARC
AVAILABILITY SUBJECT
TO ATC CLEARANCE
WHEN LM APP/TWR
ACTIVATED.
4. AWIS (PHONE)
08 6216 2623

CATEGORY	A	B	C	D
S-I VOR/DME	610 (591-3.3)			
CIRCLING *	660 (641-2.4)		760 (741-4.0)	810 (791-5.0)
ALTERNATE	(1141-4.4)		(1241-6.0)	(1291-7.0)

Changes: COORD FORMAT, NOTE 4, Editorial.

PLMVO02-160