


19 MAR 2026

AD ELEV 123
12 03 22S 134 14 03E

AERODROME CHART
MANINGRIDA, NT (YMGD)





Changes: RWY BRG, Editorial.

GNSS ARRIVAL PROCEDURES
MANINGRIDA, NT (YMGD)

19 MAR 2026

FIA BN CEN 123.4	CTAF+AFRU 127.5	AFRU+PAL 127.5			Bearings are Magnetic Elevations in FEET AMSL
---------------------	--------------------	-------------------	--	--	--





Changes: 10NM MSA.

USE QNH

RNP RWY 14

19 MAR 2026

MANINGRIDA, NT (YMGD)



CATEGORY	A	B	C	D
LNAV	610 (513-2.9)			NOT APPLICABLE
CIRCLING	730 (607-2.4)		830 (707-4.0)	
ALTERNATE	(1107-4.4)		(1207-6.0)	

- MAX IAS:
INITIAL : 210KT.
- AWIS (PHONE)
08 7922 2509



Changes: 10NM MSA, MAG BRG, Editorial.

MGDGN01-186

USE QNH

RNP RWY 32
MANINGRIDA, NT (YMGD)

19 MAR 2026



NOTES

CATEGORY	A	B	C	D
LNAV	680 (570-3.2)			NOT APPLICABLE
CIRCLING	730 (607-2.4)		830 (707-4.0)	
ALTERNATE	(1107-4.4)		(1207-6.0)	

- MAX IAS:
INITIAL : 210KT.
- AWIS (PHONE)
08 7922 2509

Changes: 10NM MSA, MAG BRG, Editorial.

MGDGN02-186

NDB RWY 32
MANINGRIDA, NT (YMGD)

Navigation Aids:

- MGD NDB 401:** Located at the center of the chart.
- 25 NM MSA 2000:** Minimum Safe Altitude for the 25 NM radius.
- 10 NM MSA 1600:** Minimum Safe Altitude for the 10 NM radius.

Communication Frequencies:

- FIA BN CEN 123.4**
- CTAF+AFRU 127.5**
- AFRU+PAL 127.5**

Navigation Information:

- Scale:** 1:500,000
- 5 NM Scale Bar:** 0 to 5 NM
- Coordinates:** 12 00 00S, 134 00 00E, 134 10 00E, 134 20 00E


Holding at MGD NDB:

- 098° Left 1 2000:** Holding pattern for CAT C and CAT A & B.
- 310°:** Holding pattern for CAT A & B.

AD ELEV 123

[illegible]

TRACK 310°.
CLIMB TO 2000ft.



CATEGORY	A	B	C	D	
S-I NDB	730 (620-3.5)			NOT APPLICABLE	
CIRCLING	730 (607-2.4)		830 (707-4.0)		
ALTERNATE	(1107-4.4)		(1207-6.0)		

1. MAX IAS:
INITIAL : 210KT.
2. AWIS (PHONE)
08 7922 2509

MGDNB01-186