





Changes: TAXIWAYS ADDED, OBST 334FT ADDED, OBST 325FT, 350FT, 333FT, 233FT DELETED, Editorial. MERAD01-185

DME or GNSS ARRIVAL PROCEDURES
MERIMBULA, NSW (YMER)

27 NOV 2025

AWIS 133.65	FIA ML CEN 120.75	CTAF+AFRU 126.7	PAL+AA 119.6		Bearings are Magnetic. Elevations in FEET AMSL
----------------	----------------------	--------------------	-----------------	--	---




25 NM MSA

5000 MER NDB 2500

B-200° B-330°

10 NM MSA 4200

**DME USING MER DME
REFERENCE WAYPOINT MER NDB**




MER NDB 395
DME 117.7

* NO CIRCLING WEST OF RWY 03 / 21

AD ELEV 8

**ALL ROUTES
TO
MER NDB**



5000 3° 4200 3200 2600 2260 1730 1780 MDA MAPt

NDB

5000

090°

MISSED APPROACH:

TURN AS APPROPRIATE, TRACK 090°. CLIMB TO 5000ft.

NOTE:
1. MAX IAS: MISSED APCH TURN 230KT.



NM TO MER NDB	25	15	10	7	5	4	2	0											
CIRCLING MINIMA				A,B: 1240-2.4			C: 1290-4.0			D: N/A									
NM TO MER NDB	12.1	12	11	10	9	8	7	6	5	4	3	2	1	0.3					
ALT (3° APCH PATH)	5000	4960	4640	4320	4010	3690	3370	3050	2730	2410	2100	1780	1460	1240					

USE QNH

RNP RWY 03

27 NOV 2025

MERIMBULA, NSW (YMER)



NOTES

1. MAX IAS: INITIAL : 210KT.
- *2. NO CIRCLING WEST OF RWY 03 / 21.
3. COLOUR: SEE SPEC NOTICES.

CATEGORY	A	B	C	D
LNAV/VNAV	600 (592-3.1)			NOT APPLICABLE
LNAV	800 (792-4.1)			
CIRCLING *	1140 (1132-2.4)		1290 (1282-4.0)	
ALTERNATE	(1632-4.4)		(1782-6.0)	

Changes: CAT C CIRCLING MINIMA.



MERGN01-185

USE QNH

RNP RWY 21

27 NOV 2025

MERIMBULA, NSW (YMER)



NOTES

CATEGORY	A	B	C	D
LNAV/VNAV	670 (662-3.8)			NOT APPLICABLE
LNAV	830 (822-4.7)			
CIRCLING *	1140 (1132-2.4)		1290(1282-4.0)	
ALTERNATE	(1632-4.4)		(1782-6.0)	

- MAX IAS:
INITIAL : 210KT.
- * NO CIRCLING
WEST OF RWY 03 / 21.
- COLOUR: SEE
SPEC NOTICES.

Changes: CAT C CIRCLING MINIMA.

MERGN02-185

