





DME or GNSS ARRIVAL PROCEDURES
MOOMBA, SA (YOOM)

30 NOV 2023



RNP RWY 12
MOOMBA, SA (YOOM)

AWIS 128.55 **FIA ML CEN 119.5** **CTAF+AFRU 126.7** **PAL+AA 120.6**

139 50 00E 140 00 00E 140 10 00E

28 00 00S 28 10 00S

7°E

MZOWB 120° 5NM 4751

MZOWI 050° 5NM 120° 5NM

MZOWF 120° 5.6NM

MZOWM 292

MZOWH 303° 020°/6.8NM

D284 5600 SFC H24

25 NM MSA 1700

YOOM ARP

10 NM MSA 1500

Scale 1:500,000 5NM

RNP APCH LNAV/VNAV RQMNNTS:

- YOOM QNH RQ
- YOOM TEMP RQ
- PROC TEMP RANGE -5°C TO +61°C

Holding at MZOWB

050° 230° 300°

TR IN	TURN	TIME	MIN ALT	DME LMT
120°	Right	1	2100	

AD ELEV 143

Bearings are Magnetic
Elevations in FEET AMSL

* NO CIRCLING

NM TO NEXT WPT	0.1	MZOWF	5	4	3	2	1.3	1.2	MZOWM				
ALT (3° APCH PATH)	2100	2070	1870	1550	1230	920	680	650					

MISSED APPROACH:
TURN LEFT
TRACK DCT
TO MZOWH
THENCE 303°
CLIMB TO 1700FT.

IAF
IF MZOWI
FAF MZOWF
MAHF MZOWH
MAPt MZOWM

2100
MZOWA
MZOWB
MZOWC

1700
1700

3°
303°
120°

MDA
MAPt
TCH 50FT
THR 12 ELEV 143

NM TO MZOWM
15.6 10.6 5.6 0 0.3

CATEGORY	A	B	C	D
LNAV/VNAV	650 (507-2.9)			NOT APPLICABLE
LNAV	680 (537-3.0)			
CIRCLING *	740 (597-2.4)	840 (697-4.0)		
ALTERNATE	(1097-4.4)	(1197-6.0)		



1. MAX IAS:
INITIAL : 210KT.
MAP TURN: 190KT.
* 2. NO CIRCLING S OF
RWY 12/30.

OOMGN01-177

USE QNH

RNP RWY 30
MOOMBA, SA (YOOM)

30 NOV 2023

**NOTES**

CATEGORY	A	B	C	D
LNAV/VNAV		910 (786-4.5)		NOT AUTHORISED
LNAV		900 (776-4.4)		
CIRCLING	NOT AUTHORISED		NOT AUTHORISED	
ALTERNATE	(1097-4.4)		(1197-6.0)	

1. MAX IAS:
INITIAL : 210KT
MAP TURN: 210KT

Changes: UNICOM REMOVED, EDITORIAL.

OOMGN02-177

